



US00D563550S

(12) **United States Design Patent**  
**Soisson**

(10) **Patent No.:** **US D563,550 S**

(45) **Date of Patent:** **\*\* Mar. 4, 2008**

(54) **SELF-SAMPLING DEVICE**

(76) Inventor: **A. Patrick Soisson**, 6004 Woodlands  
Bluff Rd., Morgantown, WV (US)  
26508

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/239,986**

(22) Filed: **Oct. 6, 2005**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 10/625,164,  
filed on Jul. 23, 2003.

(51) **LOC (8) Cl.** ..... **24-02**

(52) **U.S. Cl.** ..... **D24/114**

(58) **Field of Classification Search** ..... D24/216,  
D24/119, 114, 141, 147, 133; 604/1, 181,  
604/187; 600/562, 572, 569, 576, 591; D4/128,  
D4/121, 109, 111; 15/22.1, 23, 27, 159.1,  
15/160, 186-188; 601/112, 114, 136, 137;  
606/106; 433/90

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D98,874 S *	3/1936	Lewis	.....	D24/114
2,869,546 A *	1/1959	Cantor	.....	604/218
4,157,709 A *	6/1979	Schuster et al.	.....	600/572
D279,504 S *	7/1985	Tump	.....	D24/114
D294,063 S *	2/1988	Smith	.....	D24/114
6,155,990 A *	12/2000	Fournier	.....	600/572
6,336,905 B1 *	1/2002	Colaianni	.....	600/569
6,387,058 B1 *	5/2002	Wallach	.....	600/569
D515,206 S *	2/2006	Tarumi	.....	D24/114
D515,209 S *	2/2006	Tarumi	.....	D24/114
D515,319 S *	2/2006	Ashley et al.	.....	D4/114

D538,046 S *	3/2007	Tsaur	.....	D4/121
2004/0153000 A1 *	8/2004	Pevoto	.....	600/562
2005/0020937 A1 *	1/2005	Reed et al.	.....	600/562
2005/0277847 A1 *	12/2005	Belinson	.....	600/569

\* cited by examiner

*Primary Examiner*—Ian Simmons

*Assistant Examiner*—Carissa C Fitts

(74) *Attorney, Agent, or Firm*—Ralph A. Loren; Edwards  
Angell Palmer & Dodge, LLP.

(57) **CLAIM**

The ornamental design for a self-sampling device, as shown  
and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an insert portion of a  
self-sampling device shown with the outer portion removed  
for ease of illustration;

FIG. 2 is a top view of an insert of the self-sampling device  
shown with the outer portion removed for ease of illustra-  
tion;

FIG. 3 is a side view of an insert of the self-sampling device  
shown with the outer portion removed for ease of illustra-  
tion;

FIG. 4 is a bottom view of an insert of the self-sampling  
device shown with the outer portion removed for ease of  
illustration;


FIG. 5 is a perspective view of the self-sampling device  
showing my new design;

FIG. 6 is a top view of the self-sampling device;

FIG. 7 is a side-view of the self-sampling device; and,

FIG. 8 is a bottom view of the self-sampling device.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8