

US00D563552S

(12) **United States Design Patent** (10) **Patent No.:** **US D563,552 S**
Bierman et al. (45) **Date of Patent:** **** Mar. 4, 2008**

(54) **ANCHOR PAD**

(57) **CLAIM**

(75) Inventors: **Steven F. Bierman**, Del Mar, CA (US);
Richard A. Pluth, San Diego, CA (US)

The ornamental design for an anchor pad, as shown and described.

(73) Assignee: **Venetec International, Inc.**, San Diego, CA (US)

DESCRIPTION

(**) Term: **14 Years**

FIG. 1 is an isometric view of the anchor pad of the present invention, illustrated with a portion of the anchor pad shown in broken lines;

(21) Appl. No.: **29/281,390**

FIG. 2 is a top plan view of the anchor pad shown in FIG. 1;

(22) Filed: **Jun. 21, 2007**

FIG. 3 is a bottom plan view of the anchor pad shown in FIG. 1;

Related U.S. Application Data

(62) Division of application No. 29/234,097, filed on Jul. 13, 2005, now Pat. No. Des. 552,732.

FIG. 4 is a rear elevational view of the anchor pad shown in FIG. 1;

(51) **LOC (8) Cl.** **24-02**

FIG. 5 is a front elevational view of the anchor pad shown in FIG. 1;

(52) **U.S. Cl.** **D24/128**

(58) **Field of Classification Search** D24/124,
D24/128, 189; 128/DIG. 26, DIG. 6, 846;
156/272.2; 602/54, 57-58, 89; 604/174,
604/177-180, 187, 227

FIG. 6 is a right side elevational view of the anchor pad shown in FIG. 1, the left side view being a mirror image of the illustrated view;

See application file for complete search history.

FIG. 7 is an isometric view of the anchor pad of the present invention, illustrated with a portion of the anchor pad shown in broken lines;

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,973,565	A *	8/1976	Steer	604/180
4,563,177	A *	1/1986	Kamen	604/177
4,633,863	A *	1/1987	Filips et al.	128/846
4,822,342	A *	4/1989	Brawner	604/180
5,380,294	A *	1/1995	Persson	604/180
5,637,098	A *	6/1997	Bierman	604/180
5,693,032	A *	12/1997	Bierman	604/180
5,810,781	A *	9/1998	Bierman	604/174
6,124,520	A *	9/2000	Roberts	602/54
6,124,521	A *	9/2000	Roberts	602/54

FIG. 8 is a top plan view of the anchor pad shown in FIG. 7;

FIG. 9 is a bottom plan view of the anchor pad shown in FIG. 7;

FIG. 10 is a rear elevational view of the anchor pad shown in FIG. 7;

FIG. 11 is a front elevational view of the anchor pad shown in FIG. 7; and,

FIG. 12 is a right side elevational view of the anchor pad shown in FIG. 7, the left side view being a mirror image of the illustrated view.

(Continued)


The broken line showing the ends of the anchor pad is included for the purpose of illustrating portions of the article and forms no part of the claimed design.

Primary Examiner—Ian Simmons

Assistant Examiner—Eric L Goodman

(74) *Attorney, Agent, or Firm*—Knobbe, Martens, Olson & Bear, LLP

1 Claim, 6 Drawing Sheets



US D563,552 S

Page 2

U.S. PATENT DOCUMENTS

6,428,516 B1 *	8/2002	Bierman	604/174	6,841,715 B2 *	1/2005	Roberts	602/54
6,468,383 B2 *	10/2002	Kundel	156/272.2	D503,977 S *	4/2005	Bierman	D24/128
D470,936 S *	2/2003	Bierman	D24/128	7,014,627 B2 *	3/2006	Bierman	604/174
D492,411 S *	6/2004	Bierman	D24/128	2003/0229313 A1 *	12/2003	Bierman	604/174
6,837,875 B1 *	1/2005	Bierman	604/180					

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12