

(12) United States Design Patent (10) Patent No.: US D564,038 S Johnson et al. (45) Date of Patent: ** Mar. 11, 2008

(54) CHILDREN'S WAGON SEATBACK

- (75) Inventors: Mark Johnson, Cary, IL (US); Thomas Schlegel, Wheaton, IL (US)
- (73) Assignee: Radio Flyer, Inc., Chicago, IL (US)
- (**) Term: 14 Years
- (21) Appl. No.: 29/260,375

Primary Examiner—Holly H. Baynham
Assistant Examiner—Cynthia M. Chin
(74) Attorney, Agent, or Firm—R. Blake Johnston; DLA
Piper US LLP

(57) **CLAIM**

The ornamental design for a children's wagon seatback, as shown and described.

(22) Filed: May 23, 2006

DESCRIPTION

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,650,163 A *	11/1927	Taylor 280/87.01
4,521,054 A *	6/1985	Deconinck 297/357
4,872,725 A *	10/1989	Hakeem 297/256.15
D360,308 S *	7/1995	Smith et al D6/333
D463,693 S *	10/2002	Hsieh D6/502
D483,419 S *	12/2003	Chiappetta et al D21/425
6,932,365 B2*	8/2005	Chiappetta et al 280/47.371
6,991,290 B1*	1/2006	Wiertzema 297/230.1
D523,646 S *	6/2006	Fretschner et al D6/333

FIG. 1 is a perspective view of the children's wagon seatback;

FIG. 2 is a front elevational view of the children's wagon seatback;

FIG. 3 is a rear elevational view of the children's wagon seatback;

FIG. **4** is a left side elevational view of the children's wagon seatback;

FIG. 5 is a right side elevational view of the children's wagon seatback;

FIG. 6 is a top plan view of the children's wagon seatback; FIG. 7 is a bottom plan view of the children's wagon seatback; and,

FIG. 8 is a perspective view of the children's wagon seatback illustrating installation in a children's wagon.

The broken lines shown in the drawings are for illustrative purposes only and form no part of the claimed design.

* cited by examiner

1 Claim, 5 Drawing Sheets



U.S. Patent Mar. 11, 2008 Sheet 1 of 5 US D564,038 S



U.S. Patent Mar. 11, 2008 Sheet 2 of 5 US D564,038 S



FIG. 2



U.S. Patent Mar. 11, 2008 Sheet 3 of 5 US D564,038 S



FIG. 4





U.S. Patent Mar. 11, 2008 Sheet 4 of 5 US D564,038 S



FIG. 6



U.S. Patent Mar. 11, 2008 Sheet 5 of 5 US D564,038 S



FIG. 8

-