



US00D564098S

(12) **United States Design Patent**
Lockenwitz

(10) **Patent No.:** **US D564,098 S**
(45) **Date of Patent:** **** Mar. 11, 2008**

(54) **BEHIND-THE-EAR HEARING AID UNIT**

(75) Inventor: **Christian Lockenwitz**, Copenhagen N (DK)

(73) Assignee: **Oticon A/S**, Smorum (DK)

(**) Term: **14 Years**

(21) Appl. No.: **29/255,184**

(22) Filed: **Mar. 7, 2006**

(30) **Foreign Application Priority Data**

Sep. 7, 2005 (EM) 000396734-0002

(51) **LOC (8) Cl.** **24-99**

(52) **U.S. Cl.** **D24/174**

(58) **Field of Classification Search** D24/173,
D24/174; D14/205, 223; 381/23.1, 312,
381/322-330, 380-382; 181/129, 130, 134,
181/135, 137

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D322,319 S * 12/1991 van Mourik D24/174
- D385,036 S * 10/1997 Nielsen D24/174
- D506,258 S * 6/2005 Nielsen D24/174
- D532,111 S * 11/2006 Espersen D24/174

* cited by examiner

Primary Examiner—Ian Simmons

Assistant Examiner—Anhdao Doan

(74) *Attorney, Agent, or Firm*—Birch, Stewart, Kolasch & Birch, LLP

(57) **CLAIM**

The ornamental design for a behind-the-ear hearing aid unit, as substantially shown and described.

DESCRIPTION

FIG. 1 is an elevated left, rear perspective view of the behind-the-ear hearing aid unit;

FIG. 2 is a right side view of the behind-the-ear hearing aid unit;

FIG. 3 is a left side view of the behind-the-ear hearing aid unit;


FIG. 4 is a front view of the behind the ear hearing aid unit;

FIG. 5 is a rear view of the behind the ear hearing aid unit;

FIG. 6 is top view of the behind-the-ear hearing aid unit when the bottom surface is substantially horizontal; and,

FIG. 7 is a bottom view of the behind-the-ear hearing aid unit.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG.3




FIG. 4




FIG. 5




FIG.6




FIG. 7