

US00D564408S

(12) **United States Design Patent**  
**Hsiao**

(10) **Patent No.:** **US D564,408 S**

(45) **Date of Patent:** **\*\* Mar. 18, 2008**

(54) **BUCKLE**

D424,978 S \* 5/2000 Yoshiguchi ..... D11/218  
D496,304 S \* 9/2004 Uehara et al. .... D11/216  
D508,431 S \* 8/2005 Yoshiguchi ..... D11/216

(75) Inventor: **Hsiung-Ming Hsiao**, Taoyuan (TW)

\* cited by examiner

(73) Assignee: **Nifoo Taiwan Corporation**, Taipei (TW)

*Primary Examiner*—Ralf Seifert

(\*\*) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Bacon & Thomas, PLLC

(21) Appl. No.: **29/270,386**

(57) **CLAIM**

(22) Filed: **Dec. 22, 2006**

The ornamental design for a buckle, as shown and described.

(51) **LOC (8) Cl.** ..... **02-07**

(52) **U.S. Cl.** ..... **D11/216**

(58) **Field of Classification Search** ..... D11/200–201,  
D11/206–210, 214–216, 218; 24/163 R,  
24/169–171, 173, 177–179, 191, 194, 195,  
24/200, 197

See application file for complete search history.

**DESCRIPTION**

FIG. 1 is a perspective view of a buckle showing my design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof; and,


FIG. 8 is a perspective view thereof for illustrative purposes only.


(56) **References Cited**

**U.S. PATENT DOCUMENTS**


D349,262 S \* 8/1994 Krauss ..... D11/216  
D379,161 S \* 5/1997 Matoba ..... D11/216  
D401,533 S \* 11/1998 Anscher ..... D11/218

**1 Claim, 6 Drawing Sheets**







*FIG. 1*




*FIG. 2*




*FIG. 3*




*FIG. 4*




*FIG. 5*



*FIG. 6*



*FIG. 7*



*FIG. 8*