

US00D564419S

(12) **United States Design Patent** (10) **Patent No.:** **US D564,419 S**  
**Clontz** (45) **Date of Patent:** **\*\* Mar. 18, 2008**

(54) **FORWARD FOOT BOARD RELOCATION BRACKETS**

(75) Inventor: **William L. Clontz**, 5803 W. County Rd., 275 South, Coatesville, IN (US) 46121

(73) Assignee: **William L. Clontz**, Coatesville, IN (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/263,160**

(22) Filed: **Jul. 19, 2006**

(51) **LOC (8) Cl.** ..... **12-11**

(52) **U.S. Cl.** ..... **D12/114**

(58) **Field of Classification Search** ..... D12/110, D12/114, 122, 203, 223; 180/219, 230; 280/288.4, 280/291, 163, 164.1; 296/75; 74/143, 337.5, 74/473.16, 473.17, 478, 560, 562, 564, 594.4, 74/594.6, 594.7; D8/362

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,261,442 A \* 4/1918 Rigby ..... 280/291

(Continued)

**OTHER PUBLICATIONS**

J & P Cycles 2001 catalog, floorboard brackets on p. 570.\*

*Primary Examiner*—Cathron Brooks

*Assistant Examiner*—Linda Brooks

(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione

(57) **CLAIM**

The ornamental design for the forward foot board relocation brackets, as shown.

**DESCRIPTION**

More than one reissue application has been filed for the reissue of U.S. Design Pat. No. D459,402. The reissue applications are application Ser. No. 29/236,160 (the present application), which was filed Aug. 11, 2006 and is a divisional of application Ser. No. 29/193,474 (filed Jul. 28, 2003, now abandoned and merged into the present application); and application Ser. No. 29/267,723, which was filed on Oct. 18, 2006 and is a continuation of the present

application. U.S. Design Pat. No. D459,402 (the reissued patent) is a Continuation-in-part of application Ser. No. 09/441,125, filed on Nov. 17, 1999, now U.S. Pat. No. 6,334,612.

FIG. 1 is an elevation view of a first bracket of the set of forward foot board relocation brackets of the present design.

FIG. 2 is an elevation view of the bracket shown in FIG. 1 as viewed from the right side of FIG. 1.

FIG. 3 is an elevation view of the bracket shown in FIG. 1 as viewed from the top of FIG. 1.

FIG. 4 is a perspective view of the bracket shown in FIG. 1 as viewed from the lower right side of FIG. 1.

FIG. 5 is an elevation view of a second bracket of the set of forward foot board relocation brackets of the present design.

FIG. 6 is an elevation view of the bracket shown in FIG. 5 as viewed from the right side of FIG. 5.

FIG. 7 is an elevation view of the bracket shown in FIG. 5 as viewed from the bottom of FIG. 5.

FIG. 8 is a perspective view of the bracket shown in FIG. 5 as viewed from the lower left side of FIG. 5.

FIG. 9 is an elevation view of a third bracket of the set of forward foot board relocation brackets of the present design.

FIG. 10 is an elevation view of the bracket shown in FIG. 9 as viewed from the right side of FIG. 9.

FIG. 11 is an elevation view of the bracket shown in FIG. 9 as viewed from the top of FIG. 9.

FIG. 12 is a perspective view of the bracket shown in FIG. 9 as viewed from the upper right side of FIG. 9.

FIG. 13 is an elevation view of a forth bracket of the set of forward foot board relocation brackets of the present design.



FIG. 14 is an elevation view of the bracket shown in FIG. 13 as viewed from the right side of FIG. 13.

FIG. 15 is an elevation view of the bracket shown in FIG. 13 as viewed from the top of FIG. 13; and,

FIG. 16 is a perspective view of the reverse side of the bracket shown in FIG. 13 as viewed from the upper right side of FIG. 13.

The four brackets of the set of forward foot board relocation brackets are shown separately in the figures for clarity of illustration.

**1 Claim, 4 Drawing Sheets**



---

U.S. PATENT DOCUMENTS				
2,759,370	A *	8/1956	Frates .....	74/562
D270,823	S *	10/1983	Mounts .....	D12/114
D283,413	S *	4/1986	Preisler et al. ....	D12/114
4,754,946	A *	7/1988	Constantin .....	280/304.1
4,935,638	A *	6/1990	Straka .....	280/164.1
5,090,715	A *	2/1992	Nakajima et al. ....	280/166
5,720,359	A *	2/1998	Attenello .....	180/219
5,779,254	A *	7/1998	James et al. ....	280/291
5,961,138	A *	10/1999	Roark et al. ....	280/291
6,073,719	A *	6/2000	Ohmika et al. ....	180/219
6,152,474	A *	11/2000	Rupert .....	280/291
6,173,983	B1 *	1/2001	Moore .....	280/291
2007/0062327	A1 *	3/2007	Kouchi et al. ....	74/564
				* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8






Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. 564,419 S  
APPLICATION NO. : 29/263160  
DATED : March 18, 2008  
INVENTOR(S) : William L. Clontz

Page 1 of 1


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Face Page

Under Description, delete first paragraph starting with "More than one...U.S. Pat. No. 6,334,612".

Signed and Sealed this

Fifth Day of August, 2008

A handwritten signature in black ink, reading "Jon W. Dudas". The signature is stylized, with a large, looped initial "J" and a cursive "Dudas".

JON W. DUDAS

*Director of the United States Patent and Trademark Office*