

US00D564448S

(12) **United States Design Patent** (10) **Patent No.:** **US D564,448 S**
Dewberry (45) **Date of Patent:** **** Mar. 18, 2008**

(54) **ELECTRIC LINE CONDITIONER**

(57) **CLAIM**

(75) Inventor: **George Dewberry**, P.O. Box 48259,
Los Angeles, CA (US) 90048

The ornamental design for a electric line conditioner, as
shown and described.

(73) Assignee: **George Dewberry**, Los Angeles, CA
(US)

DESCRIPTION

(**) Term: **14 Years**

(21) Appl. No.: **29/279,657**

(22) Filed: **May 4, 2007**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/277,199,
filed on Feb. 16, 2007.

(51) **LOC (8) Cl.** **13-02**

(52) **U.S. Cl.** **D13/110**

(58) **Field of Classification Search** D13/110,
D13/101, 118, 199; 174/70 C, 102 R, 110 R,
174/126.4, 254; 219/534-536; 363/56.04,
363/56.07

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,498,493 A * 2/1950 Hickernell 174/126.2
4,496,444 A * 1/1985 Bagnulo 205/731
5,667,712 A * 9/1997 Tutorius et al. 219/535
6,025,577 A * 2/2000 Schwarzkopf 219/535
6,456,091 B1 * 9/2002 Lee et al. 324/556
D506,726 S * 6/2005 Suckle et al. D13/110

* cited by examiner

Primary Examiner—Prabhakar Deshmukh

Assistant Examiner—Derrick Holland

(74) *Attorney, Agent, or Firm*—The Soni Law Firm

FIG. 1 is a front top side perspective view of the electric line
conditioner showing my new design in a first position;

FIG. 2 is a top plan view thereof in a first position;

FIG. 3 is a front elevational view thereof in a first position;

FIG. 4 is a left side view thereof in a first position, which is
a mirror image of the right side view in a first position;

FIG. 5 is a bottom plan view thereof in a first position;

FIG. 6 is a front top side perspective view of the electric line
conditioner showing my new design in a second position,
which is an inverted version of the embodiment shown in
first position of FIGS. 1-5;

FIG. 7 is a top plan view thereof in a second position;

FIG. 8 is front elevational thereof in a second position;

FIG. 9 is a left side view thereof in a second position, which
is a mirror image of the right side in a second position;

FIG. 10 is a bottom plan view thereof in a second position;

FIG. 11 is a top front perspective view of the electric line
conditioner showing my new design in a third position,
which is a flattened version of the embodiment shown in
FIGS. 1-5;


FIG. 12 is a flattened bottom back perspective view thereof,
in a third position;

FIG. 13 is a flattened bottom back perspective view of an
alternate embodiment of the electric line conditioner show-
ing my new design in a third position;

FIG. 14 is a front elevational view thereof in a first position;
and,

FIG. 15 is a front elevational view thereof in a second
position, which is an inverted version of the embodiment
illustrated in FIG. 14.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




Fig. 11




Fig. 12




Fig. 13




FIG. 14




FIG. 15