

US00D564449S

(12) United States Design Patent (10) Patent No.:

Dewberry

US D564,449 S

(45) **Date of Patent:**

** Mar. 18, 2008

ELECTRIC LINE CONDITIONER

George Dewberry, P.O. Box 48259, (75)Los Angeles, CA (US) 90048

(73)Assignee: George Dewberry, Los Angeles, CA

(US)

14 Years Term:

Appl. No.: 29/279,659

May 4, 2007 (22)Filed:

Related U.S. Application Data

Continuation-in-part of application No. 29/277,199, (63)filed on Feb. 16, 2007.

(51)	LOC (8) Cl	13-02
(52)	U.S. Cl	D13/110
(58)	Field of Classification Search	D13/110,

D13/101, 118, 199; 174/70 C, 102 R, 126.4, 174/254; 219/534–536; 363/56.04, 56.07 See application file for complete search history.

(56)**References Cited**

U.S. PATENT DOCUMENTS

2,498,493	A	*	2/1950	Hickernell 174/126.2
4,496,444	A	*	1/1985	Bagnulo 205/731
5,667,712	A	*	9/1997	Sutorius et al 219/535
6,025,577	A	*	2/2000	Schwarzkopf 219/535
6,456,091	В1	*	9/2002	Lee et al 324/556
D506,726	S	*	6/2005	Suckle et al D13/110

^{*} cited by examiner

Primary Examiner—Prabhakar Deshmukh Assistant Examiner—Derrick Holland (74) Attorney, Agent, or Firm—The Soni Law Firm

(57)**CLAIM**

The ornamental design for a electric line conditioner, as shown and described.

DESCRIPTION

FIG. 1 is a front top side perspective view of the electric line conditioner showing my new design in a first position;

FIG. 2 is a top plan view thereof in a first position;

FIG. 3 is a front elevational view thereof in a first position;

FIG. 4 is a left side view thereof in a first position, which is a mirror image of the right side view in a first position;

FIG. 5 is a bottom plan view thereof in a first position;

FIG. 6 is a front top side perspective view of the electric line conditioner showing my new design in a second position, which is an inverted version of the embodiment shown in first position of FIGS. 1–5;

FIG. 7 is a top plan view thereof in a second position;

FIG. 8 is front elevational thereof in a second position;

FIG. 9 is a left side view thereof in a second position, which is a mirror image of the right side in a second position;

FIG. 10 is a bottom plan view thereof in a second position;

FIG. 11 is a top front perspective view of the electric line conditioner showing my new design in a third position, which is a flattened version of the embodiment shown in FIGS. 1–**5**;

FIG. 12 is a flattened bottom back perspective view thereof, in a third position;

FIG. 13 is a flattened bottom back perspective view of an alternate embodiment of the electric line conditioner showing my new design in a third position;

FIG. 14 is a front elevational view thereof in a first position; and,

FIG. 15 is a front elevational view thereof in a second position, which is an inverted version of the embodiment illustrated in FIG. 14.

1 Claim, 4 Drawing Sheets











