

US00D564931S

(12) **United States Design Patent**  
**Tamir et al.**

(10) **Patent No.:** **US D564,931 S**  
(45) **Date of Patent:** **\*\* Mar. 25, 2008**

(54) **MODIFIABLE JEWELRY**

(57) **CLAIM**

(76) Inventors: **Alon Tamir**, 8 Hagefen Street,  
Magshimim (IL); **Ran Tamir**, 2  
Hakeshet Street, Kiryat Ono (IL);  
**Nobuhiro Mizushima**, 1-6-4-11032  
Sakuragawa, Naniwaku, Osaka  
556-0022 (JP)

The ornamental design for modifiable jewelry, as shown and described.

(\*\*) Term: **14 Years**

**DESCRIPTION**

(21) Appl. No.: **29/254,909**

FIG. 1 is a front isometric view of a modifiable jewelry showing our new design;

(22) Filed: **Mar. 1, 2006**

FIG. 2 is a rear isometric view thereof;

(51) **LOC (8) Cl.** ..... **11-01**

FIG. 3 is a front elevation view thereof;

(52) **U.S. Cl.** ..... **D11/7; D99/27**

FIG. 4 is a front elevation view thereof, with the inner portion of the jewelry shown rotated 180 degrees;

(58) **Field of Classification Search** ..... D11/1,  
D11/2, 6-12, 16, 26-28, 34-43, 47-75, 79,  
D11/89-93; D99/23, 25, 26; 63/1.11-14.1,  
63/20, 22, 23, 26-33

FIG. 5 is a rear elevation view thereof, with the inner portion of the jewelry shown rotated 180 degrees;

See application file for complete search history.

FIG. 6 is a rear elevation view of FIG. 3;

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

FIG. 7 is front elevation view of the inner portion of the modifiable jewelry, shown removed for completeness of illustration;

D189,687 S *	1/1961	McAllister	.....	D11/81
D300,079 S *	2/1989	Smith	.....	D11/96
D355,144 S *	2/1995	Cord	.....	D11/81
D365,781 S *	1/1996	Osborn	.....	D11/96
D370,770 S *	6/1996	Cramer	.....	D99/27
D475,501 S *	6/2003	Barricklo	.....	D99/27
D487,232 S *	3/2004	Pachachi	.....	D11/96
D505,529 S *	5/2005	Mitchell	.....	D99/27
D511,711 S *	11/2005	Steshik	.....	D11/96

FIG. 8 is a front elevation view of the outer portion of the modifiable jewelry, shown separately for completeness of illustration;

\* cited by examiner

FIG. 9 is a rear elevation view of the inner portion of the modifiable jewelry, shown removed for completeness of illustration;

*Primary Examiner*—Cathron Brooks

*Assistant Examiner*—Michael A. Pratt

(74) *Attorney, Agent, or Firm*—Stuart M. Goldstein

FIG. 10 is a rear elevation view of the outer portion of the modifiable jewelry, shown separately for completeness of illustration;


FIG. 11 is a top plan view of FIG. 1;

FIG. 12 is a bottom plan view thereof;

FIG. 13 is a side elevation view thereof; and,

FIG. 14 is an opposite side elevation view thereof.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2






FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10



FIG. 11



FIG. 12




FIG. 13



FIG. 14