



US00D565066S

(12) **United States Design Patent**
Yamada et al.

(10) **Patent No.:** **US D565,066 S**
(45) **Date of Patent:** **** Mar. 25, 2008**

(54) **HOLDER FOR AN OPTICAL CONNECTOR
END-FACE POLISHING MACHINE**

2006/0193566 A1* 8/2006 Yamada et al. 385/134
2006/0245695 A1* 11/2006 Fujiwara et al. 385/71

(75) Inventors: **Kunio Yamada**, Matsudo (JP);
Takehiko Narita, Funabashi (JP)

* cited by examiner

(73) Assignee: **Seikoh Giken Co., Ltd.**, Chiba (JP)

Primary Examiner—Antoine D. Davis

Assistant Examiner—Patricia Palasik

(74) *Attorney, Agent, or Firm*—Olson & Cepuritis, Ltd.

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/234,100**

The ornamental design for a holder for an optical connector end-face polishing machine, as shown and described.

(22) Filed: **Jul. 13, 2005**

(30) **Foreign Application Priority Data**

DESCRIPTION

Jan. 18, 2005 (JP) 2005-001112

FIG. 1 is a perspective view of a holder for an optical connector end-face polishing machine;

(51) **LOC (8) Cl.** **15-09**

FIG. 2 is a front view thereof;

(52) **U.S. Cl.** **D15/124**

FIG. 3 is a rear view thereof;

(58) **Field of Classification Search** D15/124,
D15/126, 140; 156/293; 385/85, 134, 136,
385/137, 147; 451/271, 364

FIG. 4 is a right side view thereof;

FIG. 5 is a left side view thereof;

See application file for complete search history.

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

(56) **References Cited**

The broken line showing is included for the purpose of illustrating portions of the holder for an optical connector end-face polishing machine and forms no part of the claimed design.

U.S. PATENT DOCUMENTS

6,860,646 B1* 3/2005 Suek et al. 385/85
D510,368 S * 10/2005 Narita D15/124
2001/0055459 A1* 12/2001 Yamada et al. 385/134
2005/0281526 A1* 12/2005 Vongseng et al. 385/134

1 Claim, 5 Drawing Sheets




FIG.1




FIG.2




FIG.3




FIG.5




FIG.4




FIG.6




FIG.7

