



US00D565083S

(12) **United States Design Patent**
Tominaga

(10) **Patent No.:** **US D565,083 S**

(45) **Date of Patent:** **** Mar. 25, 2008**

(54) **SUNGLASSES**

(75) Inventor: **Hirofumi Tominaga**, Higashiosaka (JP)

(73) Assignee: **Yamamoto Kogaku Co., Ltd.**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/235,807**

(22) Filed: **Aug. 5, 2005**

(30) **Foreign Application Priority Data**

Feb. 9, 2005 (JP) 2005-003373

(51) **LOC (8) Cl.** **16-06**

(52) **U.S. Cl.** **D16/311**

(58) **Field of Classification Search** D16/101,
D16/300-330, 332-338, 900; D21/190;
D24/110.2; 351/41, 44, 51, 52, 61-63, 83,
351/86, 92, 103-111, 114, 117, 119, 121-124,
351/128, 130-132, 136-139, 153, 158; 2/426-432,
2/434-437, 441, 447-449, 453; D29/109;
359/358

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-----------|-----|---------|----------------|-------|---------|
| 4,068,918 | A * | 1/1978 | Holcombe, Jr. | | 359/358 |
| D284,710 | S * | 7/1986 | Hatchman | | D29/109 |
| D310,379 | S * | 9/1990 | Russell | | D16/311 |
| D367,491 | S * | 2/1996 | Warner | | D16/311 |
| D392,990 | S * | 3/1998 | Hall et al. | | D16/311 |
| D404,052 | S * | 1/1999 | Simioni | | D16/311 |
| D409,219 | S * | 5/1999 | Huang | | D16/303 |
| D422,615 | S * | 4/2000 | Yoshizawa | | D16/303 |
| D435,057 | S * | 12/2000 | Chen | | D16/303 |
| D450,744 | S * | 11/2001 | Rhoades et al. | | D16/311 |

| | | | | | |
|----------|-----|--------|----------|-------|---------|
| D457,546 | S * | 5/2002 | Chiang | | D16/303 |
| D473,257 | S * | 4/2003 | Chen | | D16/311 |
| D490,458 | S * | 5/2004 | Finquel | | D16/326 |
| D496,063 | S * | 9/2004 | Paolino | | D16/311 |
| D504,145 | S * | 4/2005 | Tominaga | | D16/311 |
| D505,151 | S * | 5/2005 | Windham | | D16/326 |

* cited by examiner

Primary Examiner—T. Chase Nelson

Assistant Examiner—Barbara B Lohr

(74) *Attorney, Agent, or Firm*—William L. Androlia; H. Henry Koda

(57) **CLAIM**

The ornamental design for sunglasses, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the sunglasses taken from the front, top and right side of the sunglasses, showing my new design;

FIG. 2 is a perspective view thereof taken from the rear, top and right;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;


FIG. 5 is a top plan view thereof;

FIG. 6 is bottom plan view thereof;

FIG. 7 is a right side elevational view thereof, the left side elevational view being a mirror image of the right side elevational view; and,

FIG. 8 is a perspective view taken from the rear, top and right side of the sunglasses with the falling-off prevention band disconnected from the sunglasses for ease of illustration.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6



FIG. 7




FIG. 8