



US00D565140S

(12) **United States Design Patent**
Appleton et al.

(10) **Patent No.:** **US D565,140 S**
(45) **Date of Patent:** **** Mar. 25, 2008**

(54) **LACROSSE SHAFT HAVING VARIED CROSS-SECTIONAL SHAPES**

2005/0130773 A1 6/2005 Hayden

* cited by examiner

(75) Inventors: **Douglas S. Appleton**, San Carlos, CA (US); **Blakeley E. Kim**, San Francisco, CA (US); **Cortland R. Kim**, San Francisco, CA (US)

Primary Examiner—Mitchell Siegel
(74) *Attorney, Agent, or Firm*—Xin Wen

(73) Assignee: **Talon Lacrosse, LLC**, San Carlos, CA (US)

(57) **CLAIM**

The ornamental design for a lacrosse shaft having varied cross-sectional shapes, as shown and described.

(**) Term: **14 Years**

DESCRIPTION

(21) Appl. No.: **29/277,293**

The present design patent application is related to the commonly assigned and concurrently filed U.S. design patent application Ser. No. 29/277,292 entitled “Talon-grip end cap for lacrosse shaft”, the disclosure of which is incorporated herein by reference.

(22) Filed: **Feb. 20, 2007**

(51) **LOC (8) Cl.** **21-02**

(52) **U.S. Cl.** **D21/757**

(58) **Field of Classification Search** D21/724,
D21/753–757; 473/505–515
See application file for complete search history.

FIG. 1 is a perspective view of the lacrosse shaft having varied cross-sectional shapes;

FIG. 2 is a cross sectional view thereof taken on line 2—2 of FIG. 1;

FIG. 3 is a cross sectional view thereof taken on line 3—3 of FIG. 1;

FIG. 4 is a cross sectional view thereof taken on line 4—4 of FIG. 1;

FIG. 5 is an end view of FIG. 1, the broken line showing of the end cap is for illustrative purposes only and forms no part of the claimed design; and,

FIG. 6 is a fragmented perspective view of FIG. 1, the broken line showing of the end cap is for illustrative purposes only and forms no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,739,994	A *	4/1988	Lewis, Jr.	473/513
4,890,355	A	1/1990	Schulten	
5,482,270	A	1/1996	Smith	
5,651,744	A *	7/1997	Millon et al.	473/513
5,867,868	A	2/1999	Ward	
D445,472	S	7/2001	Tucker	
6,500,079	B1	12/2002	Tucker	
6,752,730	B1 *	6/2004	Brine et al.	473/513
6,960,144	B2 *	11/2005	Tucker, Sr.	473/513
D544,932	S *	6/2007	Scott	D21/724
2005/0130759	A1	6/2005	Hayden	

1 Claim, 1 Drawing Sheet






Figure 1




Figure 2




Figure 3




Figure 4




Fig. 5




Fig. 6

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 565,140 S
APPLICATION NO. : 29/277293
DATED : March 25, 2008
INVENTOR(S) : Appleton et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Delete figs. 1-6, and substitute therefor the sheets, consisting of figs. 1-6, as shown on the attached page.

Signed and Sealed this

Fourteenth Day of December, 2010

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive style with a large, prominent "D" and "K".

David J. Kappos
Director of the United States Patent and Trademark Office

U.S. Patent

Mar. 25, 2008

D565,140 S




Figure 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D565,140 S
APPLICATION NO. : 29/277293
DATED : March 25, 2008
INVENTOR(S) : Appleton et al.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Delete the Title page and substitute therefor the attached title page consisting of corrected illustrative figure.

Delete figs. 1-6, and substitute therefor the sheets, consisting of figs. 1-6, as shown on the attached page.

This certificate supersedes the Certificate of Correction issued December 14, 2010.

Signed and Sealed this
Twenty-fifth Day of January, 2011

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive, slightly slanted style.

David J. Kappos
Director of the United States Patent and Trademark Office

(12) **United States Design Patent** (10) **Patent No.:** **US D565,140 S**
Appleton et al. (45) **Date of Patent:** **** Mar. 25, 2008**

(54) **LACROSSE SHAFT HAVING VARIED CROSS-SECTIONAL SHAPES**

2005/0130773 A1 6/2005 Hayden

* cited by examiner

(75) Inventors: **Douglas S. Appleton**, San Carlos, CA (US); **Blakeley E. Kim**, San Francisco, CA (US); **Cortland R. Kim**, San Francisco, CA (US)

Primary Examiner—Mitchell Siegel
 (74) *Attorney, Agent, or Firm*—Xin Wen

(73) Assignee: **Talon Lacrosse, LLC**, San Carlos, CA (US)

(57) **CLAIM**

The ornamental design for a lacrosse shaft having varied cross-sectional shapes, as shown and described.

(**) Term: **14 Years**

DESCRIPTION

(21) Appl. No.: **29/277,293**

The present design patent application is related to the commonly assigned and concurrently filed U.S. design patent application Ser. No. 29/277,292 entitled "Talon-grip end cap for lacrosse shaft", the disclosure of which is incorporated herein by reference.

(22) Filed: **Feb. 20, 2007**

(51) **LOC (8) Cl.** **21-02**

(52) **U.S. Cl.** **D21/757**

(58) **Field of Classification Search** **D21/724, D21/753-757; 473/505-515**

See application file for complete search history.

FIG. 1 is a perspective view of the lacrosse shaft having varied cross-sectional shapes;

FIG. 2 is a cross sectional view thereof taken on line 2-2 of FIG. 1;

FIG. 3 is a cross sectional view thereof taken on line 3-3 of FIG. 1;

FIG. 4 is a cross sectional view thereof taken on line 4-4 of FIG. 1;

FIG. 5 is an end view of FIG. 1, the broken line showing of the end cap is for illustrative purposes only and forms no part of the claimed design; and,


FIG. 6 is a fragmented perspective view of FIG. 1, the broken line showing of the end cap is for illustrative purposes only and forms no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,739,994	A *	4/1988	Lewis, Jr.	473/513
4,890,355	A	1/1990	Schulten	
5,482,270	A	1/1996	Smith	
5,651,744	A *	7/1997	Millon et al.	473/513
5,867,868	A	2/1999	Ward	
D445,472	S	7/2001	Tucker	
6,500,079	B1	12/2002	Tucker	
6,752,730	B1 *	6/2004	Brine et al.	473/513
6,960,144	B2 *	11/2005	Tucker, Sr.	473/513
D544,932	S *	6/2007	Scott	D21/724
2005/0130759	A1	6/2005	Hayden	

1 Claim, 1 Drawing Sheet



U.S. Patent

Mar. 25, 2008

D565,140 S




Figure 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6