



US00D565210S

(12) **United States Design Patent** (10) **Patent No.:** **US D565,210 S**  
**Pfeiffer** (45) **Date of Patent:** **\*\* Mar. 25, 2008**

(54) **SURFACE CONFIGURATION OF A HEADLIGHT FOR A VEHICLE**

(75) Inventor: **Peter Pfeiffer**, Boeblingen (DE)

(73) Assignee: **DaimlerChrysler AG**, Stuttgart (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/233,873**

(22) Filed: **Jul. 12, 2005**

(51) **LOC (8) Cl.** ..... **26-06**

(52) **U.S. Cl.** ..... **D26/28**

(58) **Field of Classification Search** ..... D26/28-36;  
362/459-468, 475-478, 485-487

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|              |        |               |       |        |
|--------------|--------|---------------|-------|--------|
| D536,113 S * | 1/2007 | Pfeiffer      | ..... | D26/28 |
| D542,442 S * | 5/2007 | Matsunami     | ..... | D26/28 |
| D544,614 S * | 6/2007 | Markefka      | ..... | D26/28 |
| D546,486 S * | 7/2007 | Sinkwitz      | ..... | D26/28 |
| D550,871 S * | 9/2007 | Conway et al. | ..... | D26/28 |

**OTHER PUBLICATIONS**

- Auto Bild, Version 11/2005, Mar. 18, 2005.
- Auto Zeitung, "C-Klasse von morgen," p. 11, Version 11/2003, May 7, 2003.
- Auto Zeitung, p. 14, Version 13/2003, Jun. 4, 2003.
- Auto Zeitung, p. 14, Version 13/2004, Jun. 2, 2004.
- Auto Bild, prior to Jul. 12, 2005.
- Auto Bild, Nr. 1, Jan. 7, 2005.
- Auto Bild, Nr. 11, Mar. 18, 2005.
- Auto Bild, Nr. 18, Apr. 30, 2004.
- Auto motor und sport, Jul. 2003.
- Auto motor und sport, "Auf Grosser Fahrt," Booklet 21, Sep. 29, 2004, pp. 1-6.
- Auto Strasseverkehr, "Dalmiers Neuer Chic," Dec. 3, 2004, pp. 1-4.
- Auto Zeitung, "C-Klasse von morgen," p. 11.
- Auto Zeitung, p. 14.

Auto Zeitung, p. 14, prior to Jul. 12, 2005.  
Weyer, Peter, "Neuer Schwung," stern, Feb. 10, 2005, pp. 1-2, Auto Bild.

\* cited by examiner

*Primary Examiner*—Marcus A Jackson

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a headlight for a vehicle, as shown and described.

**DESCRIPTION**

Application Ser. No. 29/233,903, entitled "Surface Configuration of a Vehicle, Toy and/or Other Replicas"; and Application Ser. No. 29/233,904, entitled "Surface Configuration of a Vehicle, Toy and/or Other Replicas";

FIG. 1 is a perspective view of a first embodiment of a surface configuration of a headlight for a vehicle according to my novel design;

FIG. 2 is a front view of the first embodiment of the surface configuration of a headlight for a vehicle according to my novel design;

FIG. 3 is a side view of the first embodiment of the surface configuration of a headlight for a vehicle according to my novel design;


FIG. 4 is a perspective view of a second embodiment of the surface configuration of a headlight for a vehicle according to my novel design;

FIG. 5 is a front view of the second embodiment of the surface configuration of a headlight for a vehicle according to my novel design; and,

FIG. 6 is a side view of the second embodiment of the surface configuration of a headlight for a vehicle according to my novel design.

The broken lines are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6