

US00D565312S

(12) **United States Design Patent** (10) **Patent No.:** **US D565,312 S**
O'Shea (45) **Date of Patent:** **** Apr. 1, 2008**

(54) **BOUNCY SEAT**

(76) Inventor: **Christine O'Shea**, 153 E. 87th St.,
Apartment 3A, New York, NY (US)
10128

(**) Term: **14 Years**

(21) Appl. No.: **29/240,883**

(22) Filed: **Oct. 19, 2005**

(51) **LOC (8) Cl.** **06-01**

(52) **U.S. Cl.** **D6/347**

(58) **Field of Classification Search** D6/347,
D6/344, 333-335, 346, 374, 379, 381, 370,
D6/375, 500-502, 386, 387; 297/273, 277,
297/259.3, 274, 280-282, 452.63; D21/825,
D21/831, 833; 472/130

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

68,637 A	9/1867	Mason	
1,055,975 A	3/1913	Hawk	
1,265,126 A	5/1918	Silver	
1,304,951 A	5/1919	Eberle	
1,403,675 A	1/1922	Eberle	
1,740,949 A	12/1929	Luery	
2,655,198 A	10/1953	Williams et al.	
D182,082 S	1/1958	Pierce	
2,912,044 A	11/1959	Giffen	
D213,579 S	3/1969	Golding	
3,447,832 A	6/1969	Shaw	
D243,044 S *	1/1977	Pathman	D6/347
D249,753 S *	10/1978	Pratt	D6/347
D260,460 S *	9/1981	Osterman	D6/347
D265,611 S *	8/1982	Knudson	D6/347
D268,232 S *	3/1983	Scales	D6/333
D284,525 S *	7/1986	LeMaistre	D3/214
D285,623 S *	9/1986	Forrest	D34/35

D323,535 S *	1/1992	Foenander et al.	D6/331
D326,781 S *	6/1992	Brundige	D6/347
D330,931 S *	11/1992	Nothacker	D21/823
D334,849 S	4/1993	Swanger et al.	
D336,378 S *	6/1993	Kittridge	D6/344
5,288,283 A	2/1994	Meeker	
D348,161 S *	6/1994	Craig, III	D6/500
D355,533 S	2/1995	Meeker	
D376,264 S *	12/1996	Cone et al.	D6/333
D419,316 S	1/2000	Perry	
D439,062 S	3/2001	McGinnis et al.	
6,648,411 B2	11/2003	Julien	
D497,725 S	11/2004	Marmentini	
2003/0062748 A1	4/2003	Julien	

OTHER PUBLICATIONS

"Photos of Bouncy Seat", Date Unknown.

* cited by examiner

Primary Examiner—Caron D. Veynar

Assistant Examiner—Abraham Bahta

(74) *Attorney, Agent, or Firm*—Merchant & Gould P.C.

(57) **CLAIM**

The ornamental design for a bouncy seat, as shown and described.

DESCRIPTION

FIG. 1 is a top, front perspective view of a bouncy seat made in accordance with my new design;

FIG. 2 is a front view of the embodiment of FIG. 1;

FIG. 3 is a back view of the embodiment of FIG. 1;

FIG. 4 is a left side view of the embodiment of FIG. 1;

FIG. 5 is a right side view of the embodiment of FIG. 1;

FIG. 6 is a top view of the embodiment of FIG. 1; and,

FIG. 7 is a bottom view of the embodiment of FIG. 1.

1 Claim, 7 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

