

US00D565497S

(12) **United States Design Patent**
Shavers et al.

(10) **Patent No.:** **US D565,497 S**

(45) **Date of Patent:** **** Apr. 1, 2008**

(54) **TIRE TREAD PORTION**

(75) Inventors: **Daniel Christian Shavers**, Canton, OH (US); **Michael Joseph Weber**, Akron, OH (US); **Michael Stefan Skurich**, Akron, OH (US)

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/286,540**

(22) Filed: **May 10, 2007**

Related U.S. Application Data

(63) Continuation of application No. 29/259,003, filed on May 1, 2006.

(51) **LOC (8) Cl.** **12-15**

(52) **U.S. Cl.** **D12/519**

(58) **Field of Classification Search** D12/505-509, D12/512-523, 524-532, 589, 900, 901; 152/209.1, 152/209.8-209.18, 209.25, 455
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D325,365 S *	4/1992	Covert et al.	D12/519
D334,360 S	3/1993	Graas et al.	D12/147
D352,489 S	11/1994	Breny et al.	D12/147
D365,789 S *	1/1996	Lassan et al.	D12/519
D384,312 S	9/1997	Powell et al.	D12/147
D389,106 S *	1/1998	Cagneaux et al.	D12/523
D396,676 S	8/1998	Croyle	D12/147
D423,422 S	4/2000	Selover et al.	D12/146
D432,961 S *	10/2000	Guspodin et al.	D12/519
D439,870 S *	4/2001	Lovell et al.	D12/519

D451,440 S	12/2001	Weber	D12/146
D451,441 S	12/2001	Weber	D12/146
D453,729 S	2/2002	Demagall et al.	D12/523
D464,020 S	10/2002	Dahlberg et al.	D12/518
D469,396 S	1/2003	Hutson et al.	D12/520
D470,101 S	2/2003	Heinen	D12/584
D482,323 S	11/2003	Corbin et al.	D12/584
D490,045 S *	5/2004	Delu et al.	D12/519
D512,683 S *	12/2005	Dumigan et al.	D12/589
D513,400 S *	1/2006	Sakaguchi et al.	D12/523
D515,019 S *	2/2006	Umstot et al.	D12/519
D519,442 S *	4/2006	Sakaguchi et al.	D12/519
D541,731 S *	5/2007	Maziarka et al.	D12/528

* cited by examiner

Primary Examiner—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Richard B. O’Planick

(57) **CLAIM**

The ornamental design for a tire tread portion, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;


FIG. 3 is a right side elevational view thereof;

FIG. 4 is a left side elevational view thereof; and,

FIG. 5 is an enlarged fragmentary front elevational view thereof.

In the drawings, the broken lines defining the right two rows of tire tread, sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5