

US00D566054S

(12) **United States Design Patent** (10) **Patent No.:** **US D566,054 S**
Kim et al. (45) **Date of Patent:** **** Apr. 8, 2008**

(54) **LIGHT EMITTING DIODE (LED)**

(75) Inventors: **Nam Young Kim**, Seoul (KR); **Kyoung Bo Han**, Seoul (KR); **Myung Hee Lee**, Gyeonggi-do (KR)

(73) Assignee: **Seoul Semiconductor Co., Ltd.**, Seoul (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/263,745**

(22) Filed: **Jul. 28, 2006**

(30) **Foreign Application Priority Data**

Mar. 30, 2006 (KR) 30-2006-0011823

(51) **LOC (8) Cl.** **13-03**

(52) **U.S. Cl.** **D13/180**

(58) **Field of Classification Search** D13/180, D13/182; D26/2; 257/79, 80, 81, 82, 88, 257/89, 95, 98, 99, 100, 678, 680, 433, 434; 313/483, 498, 500; 361/820; 362/555, 800
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D489,691 S 5/2004 Ishida
D490,783 S * 6/2004 Ishida D13/180
D490,784 S 6/2004 Ishida
D491,538 S 6/2004 Ishida
D495,667 S * 9/2004 Kim et al. D13/180
D495,668 S 9/2004 Kim et al.
D497,349 S 10/2004 Hoshiba
D499,385 S 12/2004 Ishida
D500,292 S * 12/2004 Ishida D13/180
D503,388 S 3/2005 Ishida
D504,873 S * 5/2005 Ishida D13/180
D506,449 S 6/2005 Hoshiba
D512,031 S 11/2005 Ishida
D526,970 S 8/2006 Inoue
D526,971 S 8/2006 Inoue
D529,451 S 10/2006 Kim et al.
D529,452 S * 10/2006 Kim et al. D13/180

D530,684 S 10/2006 Tzeng
D531,141 S 10/2006 Tzeng
D532,382 S 11/2006 Inoue
D533,146 S 12/2006 Wu et al.
D534,132 S * 12/2006 Yoon D13/180
2006/0193121 A1 * 8/2006 Kamoshita 362/84
2006/0284203 A1 * 12/2006 Han et al. 257/98
2007/0001187 A1 * 1/2007 Kim 257/98
2007/0029564 A1 * 2/2007 Han et al. 257/98

FOREIGN PATENT DOCUMENTS

JP D1077515 4/2000
JP D1171193 2/2003
JP D1171708 2/2003
JP D1171707 4/2003
JP D1175165 6/2003
JP D1243550 6/2005
JP D1243551 6/2005

(Continued)

Primary Examiner—Selina Sikder

(74) *Attorney, Agent, or Firm*—Townsend and Townsend and Crew LLP

(57) **CLAIM**

The ornamental design for light emitting diode (LED), as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a light emitting diode (LED) showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view;

FIG. 4 is a left side elevational view thereof;


FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof; and,

FIG. 8 is a sectional view taken along line 8-8 in FIG. 2.

1 Claim, 4 Drawing Sheets



US D566,054 S

Page 2

FOREIGN PATENT DOCUMENTS			KR	30-2004-0015094	6/2005
			KR	30-2005-0009344	11/2005
JP	30-03956560000	10/2005	TW	D104147	4/1992
JP	30-03956560001	10/2005	TW	D103950	6/1992
JP	30-03956560002	10/2005	TW	D104955	6/1992
JP	30-03956560003	10/2005			
KR	30-0294490	3/2002			
KR	30-0294490-2	2/2003			
			* cited by examiner		

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

