

US00D566255S

(12) **United States Design Patent** (10) **Patent No.:** **US D566,255 S**
Furuta et al. (45) **Date of Patent:** **** Apr. 8, 2008**

(54) **RECEIVER DRYER FOR AN
AIR-CONDITIONER**

(75) Inventors: **Takuji Furuta**, Tokyo (JP); **Kouji
Hosokawa**, Tokyo (JP)

(73) Assignee: **Fujikoki Corporation**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/263,977**

(22) Filed: **Aug. 2, 2006**

(51) **LOC (8) Cl.** **23-03**

(52) **U.S. Cl.** **D23/354**

(58) **Field of Classification Search** D23/351–355,
D23/365; 454/330, 333, 338–339, 360–362,
454/358

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D425,611 S * 5/2000 Qu D23/354
D522,144 S * 5/2006 Loyd D24/204
D542,899 S * 5/2007 Grozich D23/354
D545,396 S * 6/2007 Casey et al. D23/365

D550,340 S * 9/2007 Sato et al. D23/355

* cited by examiner

Primary Examiner—Brian N Vinson

(74) *Attorney, Agent, or Firm*—Westerman, Hattori, Daniels
& Adrian, LLP.

(57) **CLAIM**

The ornamental design for a receiver dryer for an air-
conditioner, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the receiver dryer for an
air-conditioner in which claimed subject matter is shown by
solid lines and dotted-and-dashed line and unclaimed subject
matter is shown by dashed lines (this is same in FIGS. 2–7).;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a plan view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a left side view thereof; and,

FIG. 7 is a right side view thereof.

1 Claim, 2 Drawing Sheets




Fig. 1




Fig. 2



Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

