



US00D566340S

(12) **United States Design Patent**
Benyami

(10) **Patent No.:** **US D566,340 S**

(45) **Date of Patent:** **** Apr. 8, 2008**

(54) **BALLISTIC PROTECTIVE ELEMENT**

(75) Inventor: **Moshe Benyami**, Haifa (IL)

(73) Assignee: **Rafael Armament Development Authority, Ltd.**, Haifa (IL)

(**) Term: **14 Years**

(21) Appl. No.: **29/237,697**

(22) Filed: **Sep. 6, 2005**

(30) **Foreign Application Priority Data**

Mar. 24, 2004 (IL) 40489

(51) **LOC (8) Cl.** **22-99**

(52) **U.S. Cl.** **D29/122**

(58) **Field of Classification Search** D29/100,
D29/100.1, 101.2, 101.4, 124; D2/828, 829,
D2/847, 860, 861; 2/1, 2.17, 81, 92, 2.5,
2/51, 69, 102, 108, 456-459, 461-466, 828;
89/36.02, 5; 109/49.5; 428/911

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,268,223	A *	6/1918	Eimer	2/2.5
1,532,362	A *	4/1925	Bailey	160/220
2,283,484	A *	5/1942	Bak	114/13
2,344,302	A *	3/1944	Harza	405/16
3,011,602	A *	12/1961	Ensrud et al.	428/180
3,523,057	A *	8/1970	Buck	428/156
3,689,345	A *	9/1972	Figge	156/219
3,793,648	A *	2/1974	Dorre et al.	2/2.5
4,251,579	A *	2/1981	Lee et al.	428/73
4,348,442	A *	9/1982	Figge	428/72
4,648,136	A *	3/1987	Higuchi	2/2.5
4,923,728	A *	5/1990	Snedeker	428/52
5,100,730	A *	3/1992	Lambers	428/402
5,138,488	A *	8/1992	Szczecz	359/529

D330,362	S *	10/1992	Harris	D13/100
5,185,195	A *	2/1993	Harpell et al.	428/102
5,325,537	A *	7/1994	Marion	2/462
5,804,757	A *	9/1998	Wynne	89/36.05
5,824,940	A *	10/1998	Chediak et al.	89/36.05
5,948,488	A *	9/1999	Marecki et al.	428/30
6,200,664	B1 *	3/2001	Figge et al.	428/178
6,203,908	B1 *	3/2001	Cohen	428/397
6,332,390	B1 *	12/2001	Lyons	89/36.02
6,389,594	B1 *	5/2002	Yavin	2/2.5
6,418,832	B1 *	7/2002	Colvin	89/36.02
6,543,755	B2 *	4/2003	Monson et al.	267/136
6,609,452	B1 *	8/2003	McCormick et al.	89/36.01
6,807,891	B2 *	10/2004	Fisher	89/36.02
6,862,970	B2 *	3/2005	Aghajanian et al.	89/36.02
6,912,944	B2 *	7/2005	Lucuta et al.	89/36.02
6,969,548	B1 *	11/2005	Goldfine	428/159
7,077,306	B2 *	7/2006	Palicka et al.	228/170
2002/0178900	A1 *	12/2002	Ghiorse et al.	89/36.02
2004/0020353	A1 *	2/2004	Ravid et al.	89/36.02
2004/0083880	A1 *	5/2004	Cohen	89/36.02

* cited by examiner

Primary Examiner—T. Chase Nelson

Assistant Examiner—Karen Acker

(74) *Attorney, Agent, or Firm*—Browdy and Neimark

(57) **CLAIM**

What is claimed is the ornamental design for a ballistic protective element, as shown and described.

DESCRIPTION

FIG. 1 is a side view of the ballistic protective element;

FIG. 2 is an isometric view thereof;


FIG. 3 is a top view;

FIG. 4 is another side view;

FIG. 5 is a bottom view; and,

FIG. 6 is a view from an edge thereof.

1 Claim, 1 Drawing Sheet






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 566,340 S
APPLICATION NO. : 29/237697
DATED : April 8, 2008
INVENTOR(S) : Benyami et al.


Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page, Item (30) Foreign Application Priority Data, "March 24, 2004" should be changed to
--March 24, 2005--.

Signed and Sealed this

Ninth Day of February, 2010

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive, flowing style.

David J. Kappos
Director of the United States Patent and Trademark Office