

US00D566527S

(12) **United States Design Patent** (10) **Patent No.:** **US D566,527 S**
Cavarsan (45) **Date of Patent:** **** Apr. 15, 2008**

(54) **BREAKAWAY CONNECTOR FOR ELECTRIC FENCES**

(76) Inventor: **Robert Cavarsan**, 570 Terag Road,
Ecklin, Victoria 3265 (AU)

(**) Term: **14 Years**

(21) Appl. No.: **29/264,809**

(22) Filed: **Aug. 18, 2006**

(51) **LOC (8) Cl.** **08-05**

(52) **U.S. Cl.** **D8/356**

(58) **Field of Classification Search** D8/105,
D8/107, 333, 349, 354, 356, 358, 367, 373,
D8/382, 383, 394-396; D23/261; D26/38;
24/197, 415, 417, 418, 427-431, 561; 174/45 TD,
174/153 G, 158 F, 163 F, 180, 185, 201,
174/202; 242/400.1, 405.1, 405.2, 600, 916;
248/65, 74.1-74.4, 214, 215, 229.26, 201,
248/302, 204, 316.7, 316.8, 499; 439/501;
D34/38; 108/57.25; 410/101, 106
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

302,799 A * 7/1884 Thomson 24/69 SK
1,528,747 A * 3/1925 Allen 24/133
1,868,723 A * 7/1932 Boyce 174/129 B
2,623,094 A * 7/1952 Markley 174/161 R
3,282,229 A * 11/1966 Elsner 410/105
3,647,933 A * 3/1972 Okada et al. 174/43
3,733,429 A * 5/1973 Berg et al. 174/161 F
4,547,164 A * 10/1985 Coles et al. 441/84
4,738,216 A * 4/1988 Camarota et al. 114/249
4,792,254 A * 12/1988 Platten 403/48
4,818,162 A * 4/1989 Zukowski et al. 410/116
D310,017 S * 8/1990 Matthews D8/356

5,315,064 A * 5/1994 Andrews 174/40 TD
D358,972 S * 6/1995 Libman D8/107
5,456,443 A * 10/1995 Taaffe 248/551
5,690,042 A * 11/1997 Bentley 114/39.24
6,448,493 B1 * 9/2002 Efraimsson et al. 174/40 R
6,595,472 B1 * 7/2003 Piszczak 248/74.1
6,969,219 B2 * 11/2005 Speece et al. 410/106
D512,903 S * 12/2005 Gallien D8/349
6,974,288 B2 * 12/2005 Tatina 410/106
7,057,103 B1 * 6/2006 Peabody 174/45 R
2005/0079026 A1 * 4/2005 Speece et al. 410/106

* cited by examiner

Primary Examiner—T. Chase Nelson

Assistant Examiner—Karen Acker

(74) *Attorney, Agent, or Firm*—TraskBritt, P.C.

(57) **CLAIM**

An ornamental design for a breakaway connector for electric fences, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a breakaway connector for electric fences showing my new design;


FIG. 2 is a top view of the breakaway connector for electric fences shown in FIG. 1;

FIG. 3 is a right side view of the breakaway connector for electric fences shown in FIG. 1, the left side view of the breakaway connector is a mirror image of the right side view; and,

FIG. 4 is front view of the breakaway connector for electric fences shown in FIG. 1.

The uneven broken line representations of a spring loop and the nut and bolt arrangement in FIGS. 1-4 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4