

US00D566698S

(12) **United States Design Patent**
Choi et al.

(10) **Patent No.:** **US D566,698 S**
(45) **Date of Patent:** **** Apr. 15, 2008**

(54) **WIRELESS NETWORK DEVICE**
(75) Inventors: **Richard Choi**, New Territories (HK);
Hung Wang, Kaohsiung (TW)
(73) Assignee: **Lite-On Technology Corp.**, Taipei
(TW)

D499,820 S * 12/2004 Foo D26/2
6,891,949 B2 * 5/2005 Matsuura et al. 379/433.01
D512,372 S * 12/2005 Sakai D13/108
D516,043 S * 2/2006 Jacoby et al. D13/165
D536,107 S * 1/2007 Egawa et al. D26/2
D538,952 S * 3/2007 Maxik et al. D26/2
D539,939 S * 4/2007 Mama D26/2
D546,980 S * 7/2007 Lo et al. D26/2

(**) Term: **14 Years**

* cited by examiner

(21) Appl. No.: **29/264,012**

Primary Examiner—Charles A. Rademaker

(22) Filed: **Aug. 1, 2006**

(57) **CLAIM**

(30) **Foreign Application Priority Data**
Mar. 3, 2006 (TW) 95301090

The ornamental design for a wireless network device, as shown and described.

(51) **LOC (8) Cl.** **14-03**
(52) **U.S. Cl.** **D14/240**
(58) **Field of Classification Search** D14/240,
D14/339, 358, 256, 353, 299, 300; D13/184,
D13/123, 199, 101, 165, 107, 8; 379/433.01–13,
379/434, 419, 413.04; 220/4.02; 385/16–18,
385/92; D26/2
See application file for complete search history.


DESCRIPTION

FIG. 1 is a perspective view of a wireless network device showing my new design;
FIG. 2 is a front elevation thereof;
FIG. 3 is a rear elevation thereof;
FIG. 4 is a left side elevation thereof;
FIG. 5 is a right side elevation;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan thereof.

(56) **References Cited**
U.S. PATENT DOCUMENTS

D355,495 S * 2/1995 Matsumura et al. D26/3
D401,562 S * 11/1998 Brass et al. D13/165

1 Claim, 7 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7