

US00D566799S

(12) **United States Design Patent**
Flavell et al.

(10) **Patent No.:** **US D566,799 S**
(45) **Date of Patent:** **** Apr. 15, 2008**

(54) **NECK TRAINER**

(75) Inventors: **Scott Flavell**, La Jolla, CA (US);
Thomas Carpentier, La Jolla, CA (US)

(73) Assignee: **White Sky LLC**, La Jolla, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/279,544**

(22) Filed: **May 2, 2007**

(51) **LOC (8) Cl.** **21-02**

(52) **U.S. Cl.** **D21/683**

(58) **Field of Classification Search** D21/662,
D21/683; D2/875, 894; D24/191; 482/10,
482/92, 105; 2/209, 3, 209.13
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

450,188	A *	4/1891	Peterson	482/10
500,686	A	7/1893	Corker		
559,270	A *	4/1896	Edwards	482/10
1,517,147	A *	11/1924	Burnett	482/10
1,530,748	A *	3/1925	Alastalo	482/10
1,543,346	A *	6/1925	Titus	482/10
2,051,366	A *	8/1936	Catron	482/10
2,855,202	A *	10/1958	Kinne	482/10
3,124,353	A *	3/1964	Sharkey	482/10
3,128,095	A *	4/1964	Sharkey	482/10
3,820,780	A *	6/1974	Tarbox	482/10
4,168,060	A *	9/1979	Hohenfeldt	482/10
4,278,249	A *	7/1981	Forrest	482/10
4,602,784	A	7/1986	Budden et al.		
4,632,389	A *	12/1986	Moss	482/105
D312,855	S *	12/1990	Silvey	D21/662
4,988,093	A	1/1991	Forrest, Sr. et al.		
5,162,027	A	11/1992	Robinson		

5,507,707	A *	4/1996	Miller	482/10
5,893,818	A *	4/1999	Zahiri et al.	482/10
6,036,625	A *	3/2000	Woodruff	482/121
7,010,814	B2 *	3/2006	Benziger	2/209.13
7,104,926	B2	9/2006	Carlson		
2003/0073549	A1	4/2003	Hatch		
2003/0228955	A1 *	12/2003	Makofsky	482/10
2004/0058780	A1 *	3/2004	Edgeton	482/10

* cited by examiner

Primary Examiner—Philip S. Hyder
Assistant Examiner—RoseLynne [Ulm] Cody
(74) *Attorney, Agent, or Firm*—Stephen C. Beuerle;
Procopio Cory Hargreaves & Savitch LLP

(57) **CLAIM**

The ornamental design for a neck trainer, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an embodiment of the neck trainer shown worn on the head of a user.

FIG. 2 is a front elevational view of the neck trainer.

FIG. 3 is a front perspective view of the neck trainer.

FIG. 4 is a rear elevational view of the neck trainer.

FIG. 5 is a right side elevational view of the neck trainer.


FIG. 6 is a bottom plan view of the neck trainer.

FIG. 7 is a top plan view of the neck trainer; and,

FIG. 8 is a left side elevational view of the neck trainer.

The broken lines showing a man in FIG. 1 are included for the purpose of illustrating environmental elements only and form no part of the claimed design. The double set of broken lines shown in FIGS. 1–5 and 8 are intended to illustrate stitching; these lines do form a part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8