



US00D567019S

(12) **United States Design Patent** (10) **Patent No.:** **US D567,019 S**
Gonzalez (45) **Date of Patent:** **** Apr. 22, 2008**

(54) **OBLONG, NON-SLIP, ERGONOMIC
HANDLE FOR KITCHEN UTENSILS**

D474,896 S * 5/2003 Riddell D4/138
6,594,863 B2 7/2003 Spooner
D482,874 S * 12/2003 Dotterman D4/138

(75) Inventor: **Fermin Miguel Santis Gonzalez,**
Santiago (CL)

(Continued)

(73) Assignee: **Virutex Ilko S.A.,** Santiago (CL)

FOREIGN PATENT DOCUMENTS

(**) Term: **14 Years**

DE	10142921	3/2003
EP	0307329	2/1992
EP	0742083	11/1996
EP	0901886	3/1999
GB	939488	10/1963
GB	2208156	3/1989
JP	51115561	12/1976
WO	WO 99/26516	6/1999

(21) Appl. No.: **29/272,173**

(22) Filed: **Feb. 2, 2007**

Related U.S. Application Data

(63) Continuation of application No. 11/060,030, filed on
Feb. 17, 2005, now abandoned.

(51) **LOC (8) Cl.** **07-02**

(52) **U.S. Cl.** **D7/395**

(58) **Field of Classification Search** D7/393–395,
D7/682, 683, 688–691, 693, 381, 664; D8/107,
D8/307; D4/138, 129; 16/110.1, 430, 431;
30/340

See application file for complete search history.

Primary Examiner—Holly H. Baynham

Assistant Examiner—Cynthia M. Chin

(74) *Attorney, Agent, or Firm*—D. Peter Hochberg; Sean F.
Mellino; Daniel J. Smola

(57) **CLAIM**

The ornamental design for an oblong, non-slip, ergonomic
handle for kitchen utensils, as shown and described.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,457,394 A	12/1948	Novak	
5,299,497 A	4/1994	Dias	
D347,327 S *	5/1994	Ricciarelli et al.	D4/138
D374,795 S *	10/1996	Lie	D7/395
5,615,445 A	4/1997	Kelsay et al.	
5,799,369 A	9/1998	Schülein	
D411,077 S	6/1999	Kwok	
D432,354 S *	10/2000	Wagner	D7/395
D440,463 S	4/2001	Groll	
D447,040 S *	8/2001	Douglas et al.	D8/107
D459,088 S	6/2002	Rowe et al.	
6,401,290 B1	6/2002	Barton et al.	
D465,930 S	11/2002	Offer et al.	
D465,931 S *	11/2002	Woodnorth et al.	D4/138
D466,390 S	12/2002	Hung	
D470,316 S	2/2003	Schmidt et al.	
RE38,093 E	4/2003	Chiou	

DESCRIPTION

FIG. 1 is a perspective view of the handle according to my
new design;

FIG. 2 is a top view of the handle as shown in FIG. 1;

FIG. 3 is a front view of the handle as shown in FIG. 1;

FIG. 4 is a side view of the handle as shown in FIG. 1;


FIG. 5 is a rear view of the handle as shown in FIG. 1;

FIG. 6 is a side view of the handle as shown in FIG. 1, shown
from the side opposite of that shown in FIG. 4; and,

FIG. 7 is a bottom view of the handle as shown in FIG. 1.

The broken lines are for illustrative purposes only and form
no part of the claimed design.

1 Claim, 2 Drawing Sheets



US D567,019 S

U.S. PATENT DOCUMENTS			D520,296 S *	5/2006	Brownell	D7/395
D484,740 S	1/2004	Hay	D525,081 S *	7/2006	Munari	D7/395
D492,122 S	6/2004	Woodnorth et al.	D525,827 S *	8/2006	Munari	D7/393
D492,543 S	7/2004	Munari	D527,580 S *	9/2006	Munari	D7/395
D510,233 S	10/2005	Giannone	2005/0138777 A1	6/2005	Cornfield	
D514,377 S *	2/2006	Brownell				D7/395
D515,815 S	2/2006	Jimenez et al.	* cited by examiner			




FIG-1




FIG-2




FIG-3




FIG-4




FIG-5



FIG-6




FIG-7