



US00D567044S

(12) **United States Design Patent**
Opolka

(10) **Patent No.:** **US D567,044 S**

(45) **Date of Patent:** **** Apr. 22, 2008**

(54) **SCISSORS**

(75) Inventor: **Rainer Opolka**, Solingen (DE)

(73) Assignee: **Zweibruder Optoelectronics GmbH**, Solingen (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/270,535**

(22) Filed: **Dec. 27, 2006**

(30) **Foreign Application Priority Data**

Jun. 29, 2006 (EM) 000554159

(51) **LOC (8) Cl.** **08-03**

(52) **U.S. Cl.** **D8/57**

(58) **Field of Classification Search** D8/5,
D8/14, 51, 52, 53, 57, 98, 105, 107; D3/18;
D24/148; D28/9, 56, 57, 60; 30/28, 29,
30/175, 194–196, 231, 232, 234, 237, 239,
30/244, 248, 249, 254, 257, 258, 278, 340–344;
606/174

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

53,606 A * 4/1866 Rauh 210/416.3
2,089,177 A * 8/1937 Beldue 606/133
D157,104 S * 1/1950 Tuttle D28/55
D218,792 S * 9/1970 Blomberg D8/57
D281,104 S * 10/1985 Davison D24/148
D390,080 S * 2/1998 Baldesberger D8/57
6,050,269 A * 4/2000 Park 30/155
D459,642 S * 7/2002 Haquin D8/57
D481,827 S * 11/2003 Rollins D28/55

OTHER PUBLICATIONS

Google Catalog Search Result: Bass Pro Shops: White River Fly Shop 2002 Fly Fishing Catalog, p. 13, "Anvil Ice Tempered Scissors", items A & B.*

* cited by examiner

Primary Examiner—Cathron Brooks

Assistant Examiner—Deanna Fluegeman

(74) *Attorney, Agent, or Firm*—Andrew Wilford

(57) **CLAIM**

The ornamental design for scissors, as shown.

DESCRIPTION

FIGS. 1 and 2 are front and back elevational views of a first embodiment of the scissors according to the invention;

FIGS. 3 and 4 are left- and right-side elevational views as shown in FIG. 1 of the first scissors;

FIGS. 5 and 6 are top and bottom views of the first scissors;

FIGS. 7 and 8 are front and rear elevational view of a second embodiment of the scissors according to the invention;

FIGS. 9 and 10 are left- and right-side elevational views as shown in FIG. 9 of the second scissors;

FIGS. 11 and 12 are top and bottom views of the second scissors;

FIG. 13 is a front elevational view of a third embodiment of the scissors according to the invention;

FIGS. 14 and 15 are left- and right-side elevational views as shown in FIG. 16 of the third scissors;

FIGS. 16 and 17 are top and bottom views of the third scissors; and


FIG. 18 is a rear elevational view of the third scissors.

FIG. 19 shows the first embodiment of the scissors in an open position;

FIG. 20 shows the second embodiment of the scissors in an open position; and,

FIG. 21 shows the third embodiment of the scissors in an open position.

1 Claim, 18 Drawing Sheets






Fig. 1




Fig. 2



Fig. 3



Fig. 4



Fig. 5



Fig. 6




Fig. 7




Fig. 8



Fig. 9



Fig. 10



Fig. 11



Fig. 12




Fig. 13



Fig. 14



Fig. 15



Fig. 16



Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21