



US00D567044S

(12) **United States Design Patent**  
**Opolka**

(10) **Patent No.:** **US D567,044 S**  
(45) **Date of Patent:** **\*\* Apr. 22, 2008**

(54) **SCISSORS**

(75) Inventor: **Rainer Opolka**, Solingen (DE)

(73) Assignee: **Zweibruder Optoelectronics GmbH**, Solingen (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/270,535**

(22) Filed: **Dec. 27, 2006**

(30) **Foreign Application Priority Data**

Jun. 29, 2006 (EM) ..... 000554159

(51) **LOC (8) Cl.** ..... **08-03**

(52) **U.S. Cl.** ..... **D8/57**

(58) **Field of Classification Search** ..... D8/5,  
D8/14, 51, 52, 53, 57, 98, 105, 107; D3/18;  
D24/148; D28/9, 56, 57, 60; 30/28, 29,  
30/175, 194–196, 231, 232, 234, 237, 239,  
30/244, 248, 249, 254, 257, 258, 278, 340–344;  
606/174

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 53,606 A \* 4/1866 Rauh ..... 210/416.3
- 2,089,177 A \* 8/1937 Beldue ..... 606/133
- D157,104 S \* 1/1950 Tuttle ..... D28/55
- D218,792 S \* 9/1970 Blomberg ..... D8/57
- D281,104 S \* 10/1985 Davison ..... D24/148
- D390,080 S \* 2/1998 Baldesberger ..... D8/57
- 6,050,269 A \* 4/2000 Park ..... 30/155
- D459,642 S \* 7/2002 Haquin ..... D8/57
- D481,827 S \* 11/2003 Rollins ..... D28/55

**OTHER PUBLICATIONS**

Google Catalog Search Result: Bass Pro Shops: White River Fly Shop 2002 Fly Fishing Catalog, p. 13, "Anvil Ice Tempered Scissors", items A & B.\*

\* cited by examiner

*Primary Examiner*—Cathron Brooks  
*Assistant Examiner*—Deanna Fluegeman  
(74) *Attorney, Agent, or Firm*—Andrew Wilford

(57) **CLAIM**

The ornamental design for scissors, as shown.

**DESCRIPTION**

FIGS. 1 and 2 are front and back elevational views of a first embodiment of the scissors according to the invention;

FIGS. 3 and 4 are left- and right-side elevational views as shown in FIG. 1 of the first scissors;

FIGS. 5 and 6 are top and bottom views of the first scissors;

FIGS. 7 and 8 are front and rear elevational view of a second embodiment of the scissors according to the invention;

FIGS. 9 and 10 are left- and right-side elevational views as shown in FIG. 9 of the second scissors;

FIGS. 11 and 12 are top and bottom views of the second scissors;

FIG. 13 is a front elevational view of a third embodiment of the scissors according to the invention;

FIGS. 14 and 15 are left- and right-side elevational views as shown in FIG. 16 of the third scissors;

FIGS. 16 and 17 are top and bottom views of the third scissors; and


FIG. 18 is a rear elevational view of the third scissors.


FIG. 19 shows the first embodiment of the scissors in an open position;

FIG. 20 shows the second embodiment of the scissors in an open position; and,


FIG. 21 shows the third embodiment of the scissors in an open position.

**1 Claim, 18 Drawing Sheets**





*Fig. 1*



*Fig. 2*



*Fig. 3*




*Fig. 4*




*Fig. 5*



*Fig. 6*



*Fig. 7*



*Fig. 8*





*Fig. 9*




*Fig. 10*



*Fig. 11*



*Fig. 12*



*Fig. 13*



*Fig. 14*




*Fig. 15*



*Fig. 16*




*Fig. 17*




*Fig. 18*






*Fig. 19*



*Fig. 20*



*Fig. 21*