



US00D567046S

(12) **United States Design Patent**
Henssler et al.

(10) **Patent No.:** **US D567,046 S**
(45) **Date of Patent:** **** Apr. 22, 2008**

(54) **OSCILLATING TOOL**

(75) Inventors: **Heinrich Henssler**, Schwaebisch
Gmuend (DE); **Martin Schultheiss**,
Schwaebisch Gmuend (DE)

(73) Assignee: **C. & E. Fein GmbH** (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/284,395**

(22) Filed: **Sep. 7, 2007**

Related U.S. Application Data

(62) Division of application No. 29/262,896, filed on Jul.
12, 2006, now Pat. No. Des. 559,639.

(30) **Foreign Application Priority Data**

Jan. 30, 2006 (EM) 000471529

(51) **LOC (8) Cl.** **08-05**

(52) **U.S. Cl.** **D8/61**

(58) **Field of Classification Search** D8/69,
D8/68, 67, 66, 64, 61, 70; 83/698.41, 747;
81/57.11, 474; 173/170, 217, 168, 169
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

386,378 A	7/1888	Bright	52/506.08
D323,961 S	2/1992	Fushiya et al.	D8/61
D351,772 S	10/1994	Price	D8/62
D372,850 S	8/1996	Dubuque et al.	D8/61
D404,626 S	1/1999	Hall et al.	D8/68
D427,870 S	7/2000	Heun	D8/61
6,102,632 A *	8/2000	Potter et al.	408/124
D437,758 S	2/2001	Heun	D8/61

D438,077 S *	2/2001	Schmid	D8/61
D444,363 S *	7/2001	Hayakawa et al.	D8/61
D446,432 S *	8/2001	Heun	D8/61
D447,029 S	8/2001	Sun et al.	D8/61
D476,870 S	7/2003	Hayakawa et al.	D8/61
6,715,380 B2 *	4/2004	Listl et al.	81/57.13
D491,031 S	6/2004	Davis et al.	D8/61
D496,568 S *	9/2004	Izumisawa	D8/25
D507,730 S	7/2005	Oles et al.	D8/61
D510,513 S	10/2005	Aglassinger	D8/61
D510,848 S	10/2005	Singh et al.	D8/61
D511,284 S *	11/2005	Henssler et al.	D8/61
D511,285 S *	11/2005	Henssler et al.	D8/62
D529,353 S *	10/2006	Wong et al.	D8/61
D530,171 S	10/2006	Baker	D8/61
2005/0257647 A1	11/2005	Baker	81/57.39

* cited by examiner

Primary Examiner—Cathron C. Brooks

Assistant Examiner—Austin Murphy

(74) *Attorney, Agent, or Firm*—St. Onge Steward Johnston
& Reens LLC

(57) **CLAIM**

The ornamental design for oscillating tool, as shown and
described.

DESCRIPTION

FIG. 1 is a front view of an oscillating tool in accordance
with the new design;

FIG. 2 is a left side view thereof;


FIG. 3 is a right side view thereof;

FIG. 4 is a bottom view thereof;

FIG. 5 is a top view thereof; and,

FIG. 6 is a rear view thereof.

1 Claim, 6 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6