



US00D567067S

(12) **United States Design Patent**  
**Liang**

(10) **Patent No.:** **US D567,067 S**

(45) **Date of Patent:** **\*\* Apr. 22, 2008**

(54) **KEEPER**

(76) Inventor: **Luke Liang**, 30 Spruce Hollow Rd.,  
Green Brook, NJ (US) 08812

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/272,168**

(22) Filed: **Feb. 1, 2007**

**Related U.S. Application Data**

(62) Division of application No. 29/223,091, filed on Feb. 7, 2005, now Pat. No. Des. 546,166.

(51) **LOC (8) Cl.** ..... **08-07**

(52) **U.S. Cl.** ..... **D8/344**

(58) **Field of Classification Search** ..... D8/330-348;  
70/141, 89, 90; 292/336.3, 347, 358, 359,  
292/DIG. 20, DIG. 47, 217, 234, 204, 228,  
292/241, 242, 111, 83, 85

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D16,410 S *	12/1885	Robinson	.....	D8/344
D32,815 S *	6/1900	Hubbard	.....	D8/344
D32,816 S *	6/1900	Hubbard	.....	D8/344
D33,946 S *	1/1901	Bush	.....	D8/344
D228,617 S *	10/1973	Dallaire	.....	D8/344
D293,548 S *	1/1988	Bates et al.	.....	D8/337
D295,948 S *	5/1988	Mandell	.....	D8/337
D380,957 S *	7/1997	Evans et al.	.....	D8/337
D382,191 S *	8/1997	Plummer	.....	D8/337
D382,192 S *	8/1997	Plummer	.....	D8/337

D408,263 S *	4/1999	Briggs	.....	D8/337
D418,737 S *	1/2000	Libby et al.	.....	D8/337
6,634,683 B1 *	10/2003	Brannan	.....	292/241
6,871,886 B2 *	3/2005	Coleman et al.	.....	292/241
6,983,963 B2 *	1/2006	Eslick et al.	.....	292/242
7,000,957 B2 *	2/2006	Lawrence	.....	292/241
7,017,957 B2 *	3/2006	Murphy et al.	.....	292/241
D527,613 S *	9/2006	Omangi et al.	.....	D8/331
7,159,908 B2 *	1/2007	Liang	.....	292/242
D536,950 S *	2/2007	Liang et al.	.....	D8/331
D539,634 S *	4/2007	Tanaka et al.	.....	D8/333
D546,166 S *	7/2007	Liang	.....	D8/344
2001/0005995 A1 *	7/2001	Subliskey	.....	70/89
2007/0046036 A1 *	3/2007	Kinsey	.....	292/228

\* cited by examiner

*Primary Examiner*—Mitchell Siegel

(74) *Attorney, Agent, or Firm*—Thomas A. O'Rourke;  
Bodner & O'Rourke, LLP

(57) **CLAIM**

The ornamental design for a keeper, as shown and described.

**DESCRIPTION**

FIG. 1 is a top view of the keeper of the present invention;

FIG. 2 is a front view of the keeper of FIG. 1;

FIG. 3 is a bottom view of the keeper of FIG. 1.

FIG. 4 is a rear view of the keeper of FIG. 1.

FIG. 5 is a left side view of the keeper of FIG. 1.

FIG. 6 is a right side view of the keeper of FIG. 1; and,

FIG. 7 is a rear perspective view of the keeper of FIG. 1.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2



FIG. 3




FIG. 4

FIG. 5



FIG. 6



FIG. 7

