



US00D567191S

(12) **United States Design Patent**
Eichinger

(10) **Patent No.:** **US D567,191 S**

(45) **Date of Patent:** **** Apr. 22, 2008**

(54) **SAFETY SWITCHING DEVICE**

(75) Inventor: **Peter Eichinger**, Winnenden (DE)

(73) Assignee: **Pilz GmbH & Co.**, Ostfildern (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/264,244**

(22) Filed: **Aug. 7, 2006**

(30) **Foreign Application Priority Data**

Feb. 14, 2006 (EM) 000479670

(51) **LOC (8) Cl.** **13-03**

(52) **U.S. Cl.** **D13/171; D13/158**

(58) **Field of Classification Search** D13/158-177,
D13/184, 199, 138.2; D14/402; 200/294,
200/400, 401; 337/59, 66, 194; 335/306
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,276,457	A *	6/1981	Myers	200/401
4,468,547	A *	8/1984	Belttary	200/294
D309,600	S *	7/1990	Backes	D13/162.1
D317,906	S *	7/1991	Winter et al.	D13/160
5,892,426	A *	4/1999	Huang	337/59
6,084,191	A *	7/2000	Kataya et al.	200/401
D483,329	S *	12/2003	Kuo	D13/110
D494,142	S *	8/2004	Schon	D13/162
6,853,289	B2 *	2/2005	Scoggin	337/194
D529,453	S *	10/2006	Schurr et al.	D13/184
2002/0070839	A1 *	6/2002	Chen	337/66
2006/0220779	A1 *	10/2006	Yu	337/66
2007/0001797	A1 *	1/2007	Yu	337/66
2007/0018766	A1 *	1/2007	Poyner	335/306
2007/0018772	A1 *	1/2007	Yu	337/66
2007/0018773	A1 *	1/2007	Yu	337/66
2007/0035377	A1 *	2/2007	Yu	337/66

* cited by examiner

Primary Examiner—Daniel Bui
Assistant Examiner—Thomas J Johannes

(74) *Attorney, Agent, or Firm*—Harness, Dickey & Pierce, P.L.C.

(57) **CLAIM**

The ornamental design for a safety switching device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a safety switching device embodying my new design;

FIG. 2 is a top thereof;

FIG. 3 is a right side view thereof;

FIG. 4 is a bottom view thereof;

FIG. 5 is a front view thereof;

FIG. 6 is a left side view thereof;

FIG. 7 is a rear view thereof;

FIG. 8 is a perspective view of a second embodiment of a safety switching device showing my new design;

FIG. 9 is a top view thereof;

FIG. 10 is a left side view thereof;

FIG. 11 is a bottom view thereof;

FIG. 12 is a rear view thereof;

FIG. 13 is a right side view thereof;

FIG. 14 is a front view thereof;

FIG. 15 is a perspective view of a third embodiment of a safety switching device showing my new design;

FIG. 16 is a top view thereof;

FIG. 17 is a left side view thereof;

FIG. 18 is a bottom view thereof;


FIG. 19 is a rear view thereof;

FIG. 20 is a right side view thereof; and,

FIG. 21 is a front view thereof.

The broken line showing in the figure drawings is included for illustrative purposes only and forms no part of the claimed design.

1 Claim, 21 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 567,191 S
APPLICATION NO. : 29/264244
DATED : April 22, 2008
INVENTOR(S) : Peter Eichinger

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

DESCRIPTION,
Line 3, after "top" insert --view--.

Signed and Sealed this

Tenth Day of March, 2009



JOHN DOLL
Acting Director of the United States Patent and Trademark Office