



US00D567285S

(12) **United States Design Patent**  
**Hendee**

(10) **Patent No.:** **US D567,285 S**

(45) **Date of Patent:** **\*\* Apr. 22, 2008**

(54) **BINDER**

(75) **Inventor:** **Benton Ezzat Hendee**, Unadilla, NY (US)

(73) **Assignee:** **MeadWestvaco Corporation**, Glen Allen, VA (US)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/249,964**

(22) **Filed:** **Oct. 27, 2006**

(51) **LOC (8) Cl.** ..... **19-04**

(52) **U.S. Cl.** ..... **D19/27**

(58) **Field of Classification Search** ..... D19/32,  
D19/27, 26; D3/247, 276, 201, 249, 273,  
D3/294, 274, 243, 245; 281/29, 38, 27.3;  
402/3, 4, 31, 19

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 2,038,319 A \* 4/1936 Stanley ..... 132/312
- 2,623,566 A \* 12/1952 Renaker ..... 190/125
- 3,023,794 A \* 3/1962 Lifton ..... 190/102
- D303,809 S \* 10/1989 Klein ..... D19/27
- D312,351 S \* 11/1990 Bishop ..... D3/251
- D319,729 S \* 9/1991 Kogutt ..... D3/299
- 5,219,437 A \* 6/1993 Moor et al. .... 281/29
- D358,166 S \* 5/1995 Deutch ..... D19/26
- D363,737 S \* 10/1995 Snow ..... D19/27
- D383,779 S \* 9/1997 Yaukey ..... D19/27
- D383,896 S \* 9/1997 Whang ..... D3/254
- D393,947 S \* 5/1998 Alves et al. .... D3/303
- D396,751 S \* 8/1998 Wyant ..... D3/303
- D407,432 S \* 3/1999 Tell ..... D19/26
- 5,911,441 A \* 6/1999 Yamamoto et al. .... 281/15.1
- D414,935 S \* 10/1999 Bould ..... D3/301
- D418,160 S \* 12/1999 Gunasekera ..... D19/27
- D419,186 S \* 1/2000 Moor ..... D19/27
- D420,385 S \* 2/2000 Inbert ..... D19/27
- D424,105 S \* 5/2000 Platte, III ..... D19/27
- D424,804 S \* 5/2000 Isaacson ..... D3/303
- D429,497 S \* 8/2000 Wyant ..... D19/26
- D433,444 S \* 11/2000 Eskandry ..... D19/27

- D434,439 S \* 11/2000 Coleman ..... D19/27
- D434,796 S \* 12/2000 Coleman ..... D19/27
- D435,863 S \* 1/2001 Eskandry ..... D19/27
- D452,612 S \* 1/2002 Alexandroff ..... D3/265
- D459,887 S \* 7/2002 Johnson ..... D3/303
- D465,087 S \* 11/2002 Shapiro ..... D3/303
- D482,162 S \* 11/2003 Bostroem ..... D28/77
- D487,110 S \* 2/2004 Hendee et al. .... D19/26
- D493,483 S \* 7/2004 Wehmeyer et al. .... D19/26
- 6,767,152 B1 \* 7/2004 Wehmeyer et al. .... 402/73
- D499,761 S \* 12/2004 Africa et al. .... D19/26
- D508,522 S \* 8/2005 McCormack ..... D19/26
- D508,775 S \* 8/2005 Brann ..... D3/321
- D512,100 S \* 11/2005 Howes et al. .... D19/86
- 7,137,752 B2 \* 11/2006 Hendee ..... 402/73
- D544,538 S \* 6/2007 Kesselring ..... D19/27
- D549,283 S \* 8/2007 Bharna ..... D19/27
- 2004/0099496 A1 \* 5/2004 Hollingsworth ..... 190/111

\* cited by examiner

*Primary Examiner*—Cathron C. Brooks

*Assistant Examiner*—Austin Murphy

(74) *Attorney, Agent, or Firm*—George R. McGuire; Bond Schoeneck & King, PLLC

(57) **CLAIM**

The ornamental design for a binder, shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a new and ornamental design for a binder;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a right side elevation view thereof;

FIG. 4 is a left side elevation view thereof;


FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof; and,

FIG. 7 is a rear elevation view thereof.

The broken lines depiction of the zipper attachment element and zipper pull forms no part of the claimed design. The remainder of the broken lines represent stitching.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 5




FIG. 4




FIG. 2




FIG. 3




FIG. 6




FIG.7