



US00D567319S

(12) **United States Design Patent**
Beard

(10) **Patent No.:** **US D567,319 S**
(45) **Date of Patent:** **** Apr. 22, 2008**

(54) **DIVOT TOOL**

(76) Inventor: **Richard L. Beard**, 94 Abby La.,
Portland, ME (US) 04103

(**) Term: **14 Years**

(21) Appl. No.: **29/271,459**

(22) Filed: **Jan. 19, 2007**

(51) **LOC (8) Cl.** **21-02**

(52) **U.S. Cl.** **D21/793**

(58) **Field of Classification Search** D21/789,
D21/793; 473/286, 408

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D360,450 S *	7/1995	Louden et al.	D21/793
D383,825 S *	9/1997	Rhodes	D21/793
D401,296 S *	11/1998	Cole et al.	D21/793
D419,631 S *	1/2000	Fazekas	D21/793
7,008,336 B2	3/2006	Bores	
D521,587 S	5/2006	Smith	
7,100,230 B2	9/2006	Hillenbrand	
D544,563 S *	6/2007	Widmann	D21/793

* cited by examiner

Primary Examiner—Mitchell Siegel

(74) *Attorney, Agent, or Firm*—Patricia M. Mathers

(57) **CLAIM**

The ornamental design for a divot tool, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of the divot tool, showing a golf ball marker, the bottle opener, and a magnet for holding a bottle cap against the divot tool.

FIG. 2 is a front view of the first embodiment.

FIG. 3 is a side view of the first embodiment.

FIG. 4 is a rear view of the first embodiment.

FIG. 5 is a top view of the first embodiment.

FIG. 6 is a bottom view of the first embodiment.

FIG. 7 is a perspective view of a second embodiment of the divot tool, showing the bottle opener and a golf ball marker.

FIG. 8 is a front view of the second embodiment.

FIG. 9 is a side view of the second embodiment.

FIG. 10 is a rear view of the second embodiment.

FIG. 11 is a top view of the second embodiment.

FIG. 12 is a bottom view of the second embodiment.

FIG. 13 is a perspective view of a third embodiment of the divot tool, with a clip, but without the magnet for the bottle cap and without a golf ball marker magnet.

FIG. 14 is a front view of the third embodiment.

FIG. 15 is a side view of the third embodiment.

FIG. 16 is a rear view of the third embodiment.

FIG. 17 is a top view of the third embodiment.

FIG. 18 is a bottom view of the third embodiment.

FIG. 19 is a perspective view of a fourth embodiment of the divot tool, showing the tool with a bottle opener only.

FIG. 20 is a front view of the third embodiment.

FIG. 21 is a side view of the third embodiment.

FIG. 22 is a rear view of the third embodiment.

FIG. 23 is a top view of the third embodiment.

FIG. 24 is a bottom view of the third embodiment.

FIG. 25 is a perspective view of a fourth embodiment of the divot tool, showing the magnet and recessed area for holding a golf ball maker, and the clip.

FIG. 26 is a front view of the fourth embodiment.

FIG. 27 is a side view of the fourth embodiment.


FIG. 28 is a rear view of the fourth embodiment.

FIG. 29 is a top view of the fourth embodiment; and,

FIG. 30 is a bottom view of the fourth embodiment.

The broken line showing is included for the purpose of illustrating and forms no part of the claimed design.

1 Claim, 15 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20



FIG. 21




FIG. 22



FIG. 23



FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30