



US00D567324S

(12) **United States Design Patent**  
**Pride et al.**

(10) **Patent No.:** **US D567,324 S**

(45) **Date of Patent:** **\*\* Apr. 22, 2008**

(54) **OPTICAL SIGHT RETICLE**

(76) Inventors: **John Pride**, 842 E. Gladstone St., La Verne, CA (US) 91750; **Mickey Fowler**, 1985 White Rock Rd., Mariposa, CA (US) 95333

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/288,545**

(22) Filed: **Jun. 15, 2007**

(51) **LOC (8) Cl.** ..... **22-01**

(52) **U.S. Cl.** ..... **D22/109**

(58) **Field of Classification Search** ..... D22/100, D22/108-110, 199; 42/111-113, 122, 124, 42/130, 134-145; 89/161, 41.19, 200-204; 33/227, 245, 246, 297, 298; D16/130, 132, D16/134; 235/414; 350/550; 356/21; 359/424, 359/428; 421/122

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D306,173 S \* 2/1990 Reese ..... D16/130  
4,912,853 A \* 4/1990 McDonnell et al. .... 33/228  
5,616,903 A \* 4/1997 Springer ..... 235/414  
D397,704 S \* 9/1998 Reese ..... D16/130

D403,686 S \* 1/1999 Reese ..... D16/130  
D456,057 S \* 4/2002 Smith, III ..... D22/108  
D506,520 S \* 6/2005 Timm et al. .... D22/199  
D517,153 S \* 3/2006 Timm et al. .... D22/109  
D530,775 S \* 10/2006 LaCorte ..... D22/108  
D530,776 S \* 10/2006 LaCorte ..... D22/108  
D532,477 S \* 11/2006 Zaderey et al. .... D22/108  
D536,762 S \* 2/2007 Timm et al. .... D22/109  
2005/0229468 A1 \* 10/2005 Zaderey et al. .... 42/122

\* cited by examiner

*Primary Examiner*—Charles A. Rademaker

*Assistant Examiner*—Melanie Levy

(74) *Attorney, Agent, or Firm*—Richard L Mikesell

(57) **CLAIM**

The ornamental design for an optical sight reticle, as shown and described.

**DESCRIPTION**


FIG. 1 is a Front elevation of the design of the instant invention;


FIG. 2 is a Side view;

FIG. 3 is a Rear elevation; and,

FIG. 4 is a Top Right perspective view.

**1 Claim, 2 Drawing Sheets**







**Fig. 1**



**Fig. 2**



**Fig. 3**



**Fig. 4**