



US00D567408S

(12) **United States Design Patent** (10) **Patent No.:** **US D567,408 S**  
**Hsu** (45) **Date of Patent:** **\*\* Apr. 22, 2008**

(54) **EXTERIOR SURFACE CONFIGURATION OF A VEHICLE LIGHT**

(76) Inventor: **Hong Ming Hsu**, No 152, Sec 2.,  
Funong St. East District, Tainan City  
(TW) 701

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/292,987**

(22) Filed: **Nov. 7, 2007**

(51) **LOC (8) Cl.** ..... **26-06**

(52) **U.S. Cl.** ..... **D26/28**

(58) **Field of Classification Search** ..... D26/28-36;  
362/459-468, 475-478, 485-487

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D530,029 S \* 10/2006 Neufeglise et al. .... D26/28

D558,367 S \* 12/2007 Lukasak et al. .... D26/28

\* cited by examiner

*Primary Examiner*—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Alexander Chen, Esq.

(57) **CLAIM**

The ornamental design for an exterior surface configuration of a vehicle light, as shown and described.

**DESCRIPTION**


FIG. 1 is perspective view from the front right of an exterior surface configuration of a vehicle light. The drawings and descriptions represent the left side embodiment. The design also contemplates a mirror symmetrical embodiment on the right side of the vehicle. The dash line included denotes environment and is not part of the claimed design.

FIG. 2 is a front elevation view thereof;

FIG. 3 is a right elevation view thereof, and,

FIG. 4 is a top view thereof.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4