



US00D567430S

(12) **United States Design Patent** (10) **Patent No.:** **US D567,430 S**
Kingston et al. (45) **Date of Patent:** **** Apr. 22, 2008**

(54) **LIGHTING DEVICE**

(75) Inventors: **Ronald J. Kingston**, Syracuse, NY
(US); **Donwoong Kang**, Camillus, NY
(US); **Scott W. Osiecki**, Skaneateles,
NY (US)

(73) Assignee: **Eveready Battery Company, Inc.**, St.
Louis, MO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/286,617**

(22) Filed: **May 14, 2007**

(51) **LOC (8) Cl.** **26-03**

(52) **U.S. Cl.** **D26/104**

(58) **Field of Classification Search** D26/37-50,
D26/93-112; 362/157, 158, 183-208, 410-415,
362/806

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D211,387 S	6/1968	Muller
D253,853 S	1/1980	Gerber
D311,067 S	10/1990	Chabria
D317,310 S	6/1991	Schwartz
D328,357 S	7/1992	Schneider
D343,469 S	1/1994	Yuen
D343,470 S	1/1994	Yuen
D356,174 S	3/1995	Lo
D370,070 S	5/1996	Kay
D411,324 S	6/1999	Roorda
D411,635 S	6/1999	Philipot et al.
D434,863 S	12/2000	Boessel
D437,429 S	2/2001	Boessel
6,227,677 B1	5/2001	Willis
D449,402 S	10/2001	Echito
D450,868 S	11/2001	Maximilian-Yee
D459,521 S	6/2002	Echito

D477,432 S	7/2003	Parsons
D491,305 S	6/2004	Copeland
D496,485 S	9/2004	Stekelenburg
7,048,414 B2	5/2006	Weber
D523,982 S	6/2006	Doong
D527,129 S	8/2006	Hodgson
D527,132 S	8/2006	Citterio
D532,920 S	11/2006	Echito
7,150,540 B2	12/2006	Kovacik et al.
D539,216 S	3/2007	Hamaguchi
D539,456 S	3/2007	Sassoon et al.
2004/0145890 A1	7/2004	Liao
2005/0231941 A1	10/2005	Huang

FOREIGN PATENT DOCUMENTS

WO 2007/090112 A2 8/2007

Primary Examiner—Cathron Brooks

Assistant Examiner—Linda Brooks

(74) *Attorney, Agent, or Firm*—Gregory J. Adams

(57) **CLAIM**

We claim the ornamental design for a lighting device, as shown and described.

DESCRIPTION

FIG. 1 is a right top perspective view of the lighting device of the present invention.

FIG. 2 is a right side view of the lighting device of the present invention.


FIG. 3 is a front view of the lighting device of the present invention.

FIG. 4 is a back view of the lighting device of the present invention.

FIG. 5 is a top view of the lighting device of the present invention; and,

FIG. 6 is a bottom view of the lighting device of the present invention.

1 Claim, 3 Drawing Sheets






Fig. 1



Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6