



US00D567433S

(12) **United States Design Patent**
Gordin et al.

(10) **Patent No.:** **US D567,433 S**
(45) **Date of Patent:** **** Apr. 22, 2008**

(54) **LIGHTING FIXTURE REFLECTOR**
(75) Inventors: **Myron K. Gordin**, Oskaloosa, IA (US);
Timothy J. Boyle, Oskaloosa, IA (US)
(73) Assignee: **Musco Corporation**, Oskaloosa, IA
(US)
(**) Term: **14 Years**
(21) Appl. No.: **29/221,682**
(22) Filed: **Jan. 18, 2005**
(51) **LOC (8) Cl.** **26-99**
(52) **U.S. Cl.** **D26/128**
(58) **Field of Classification Search** D26/63,
D26/134, 133, 131, 2, 24, 26, 36, 61, 67,
D26/72, 113, 118, 122, 123, 124, 128, 139;
362/518, 512, 350, 348, 346, 398, 397, 298,
362/297, 294, 293, 282, 281, 267, 263, 261,
362/257, 217, 514, 289, 341, 347
See application file for complete search history.

4,947,303 A 8/1990 Gordin
5,012,398 A 4/1991 Jones
5,161,883 A 11/1992 Gordin
5,207,747 A 5/1993 Gordin
5,228,770 A * 7/1993 Brunson 362/194
5,426,577 A 6/1995 Gordin
D360,269 S * 7/1995 Lake D26/63
D385,651 S * 10/1997 Stevens et al. D26/133
5,707,142 A 1/1998 Gordin
5,720,548 A * 2/1998 Geary 362/260
5,800,048 A 9/1998 Gordin
5,856,721 A 1/1999 Gordin
5,860,733 A 1/1999 Stone
5,887,969 A 3/1999 Gordin
5,964,522 A * 10/1999 Schaefer et al. 362/350
6,203,176 B1 3/2001 Gordin
6,398,392 B2 6/2002 Gordin
2003/0147240 A1 8/2003 Gordin

FOREIGN PATENT DOCUMENTS

EP 1 172 839 A2 1/2002

* cited by examiner

Primary Examiner—Freda S. Nunn
Assistant Examiner—Kevin K Rudzinski
(74) *Attorney, Agent, or Firm*—McKee, Voorhees & Sease,
P.L.C.

(56) **References Cited**
U.S. PATENT DOCUMENTS

D31,588 S * 10/1899 Rhind D26/131
D59,930 S * 12/1921 Roffy D26/36
1,516,379 A * 11/1924 Dufek 362/348
1,559,464 A * 10/1925 Sachse 362/293
D113,444 S * 2/1939 Trippe D26/36
2,447,923 A 8/1948 Tuck
3,413,462 A * 11/1968 Spero 362/350
4,190,881 A 2/1980 Drost
4,208,704 A * 6/1980 Draper 362/518
D257,891 S 1/1981 Drost
D261,061 S * 9/1981 Wiley D26/134
D261,684 S * 11/1981 Westover D26/63
4,423,471 A 12/1983 Gordin
4,450,507 A 5/1984 Gordin
D281,355 S * 11/1985 Fraley et al. D26/2
4,712,167 A 12/1987 Gordin
4,729,077 A 3/1988 Gordin
4,816,974 A 3/1989 Gordin
4,885,668 A * 12/1989 Maglica et al. 362/345

(57) **CLAIM**

We claim the ornamental design for a lighting fixture reflector, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the lighting fixture reflector according to a first embodiment;
FIG. 2 is a front elevation view thereof.
FIG. 3 is a right side elevation view thereof; the left side being a mirror image thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a front elevation view of the lighting fixture reflector according to the second embodiment;
FIG. 6 is a right side elevation view thereof; the left side being a mirror image of FIG. 9;




FIG. 7 is a bottom plan view thereof;

FIG. 8 is a front elevation view of the lighting fixture reflector according to a third embodiment;

FIG. 9 is a right side elevation view thereof; the left side being a mirror image of FIG. 6;

FIG. 10 is a bottom plan view thereof;

FIG. 11 is a front elevation view of the lighting fixture reflector according to a fourth embodiment;

FIG. 12 is a right side elevation view thereof; the left side being a mirror image thereof;

FIG. 13 is a bottom plan view thereof;

FIG. 14 is a front elevation view of the lighting fixture reflector according to a fifth embodiment;

FIG. 15 is a right side elevation view thereof; the left side being a mirror image of FIG. 18;

FIG. 16 is a bottom plan view thereof;

FIG. 17 is a front elevation view of the lighting fixture reflector according to a sixth embodiment;

FIG. 18 is a right side elevation view thereof; the left side being a mirror image of FIG. 15;

FIG. 19 is a bottom plan view thereof;

FIG. 20 is a front elevation view of the lighting fixture reflector according to a seventh embodiment;

FIG. 21 is a right side elevation view thereof; the left side being a mirror image thereof;

FIG. 22 is a bottom plan view thereof;

FIG. 23 is a front elevation view of the lighting fixture reflector according to an eighth embodiment.

FIG. 24 is a right side elevation view thereof, the left side being a mirror image of FIG. 26;

FIG. 25 is a bottom plan view thereof;

FIG. 26 is a front elevation view of the lighting fixture reflector according to a ninth embodiment;

FIG. 27 is a right side elevation view thereof, the left side being a mirror image of FIG. 24; and,

FIG. 28 is a bottom plan view thereof.

The rear views can be understood from the isometric views of these drawings.

The broken line showing of the lens and the attachment latches is included for the purpose of illustrating only and forms no part of the claimed design.

1 Claim, 10 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28