

US00D567456S

(12) **United States Design Patent**
Martin et al.

(10) **Patent No.:** **US D567,456 S**
(45) **Date of Patent:** **** Apr. 22, 2008**

(54) **FOLDABLE PET BED**

(75) Inventors: **Amy Martin**, Seattle, WA (US);
Russell Borgmann, Bellevue, WA
(US); **Paul Vincent**, Snoqualmie, WA
(US); **Michael Deilke**, Langley, WA
(US); **Alison Deilke**, Langley, WA (US)

(73) Assignee: **Hyperion Innovations Inc.**, Bellevue,
WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/266,779**

(22) Filed: **Sep. 26, 2006**

(51) **LOC (8) Cl.** **30-06**

(52) **U.S. Cl.** **D30/118**

(58) **Field of Classification Search** D30/118,
D30/161, 199; D21/520, 521; D6/331, 334,
D6/382, 390, 393-394, 596-597, 601, 604,
D6/381; 119/28.5, 161, 165, 706
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,023,605	A *	12/1935	Mandell	5/46.1
D172,421	S *	6/1954	Harris	D6/334
D177,522	S *	4/1956	Keal	D6/334
3,438,676	A *	4/1969	Brosk	297/451.6
3,740,774	A *	6/1973	Powell	5/12.1
3,890,658	A *	6/1975	Petersilie	5/2.1
3,902,759	A *	9/1975	Monteforte et al.	...	297/452.16
D242,304	S *	11/1976	Petersville	D6/335
4,179,158	A *	12/1979	Flaum et al.	297/440.17
D264,649	S *	6/1982	Saporiti	D6/334
D295,904	S *	5/1988	McMahon	D30/118
D309,200	S *	7/1990	McMahon	D30/118

D314,252	S *	1/1991	Horne	D30/118
5,765,502	A *	6/1998	Haugh	119/28.5
D400,313	S *	10/1998	Chatwell	D30/118
D434,243	S *	11/2000	Casto et al.	D6/381
D446,039	S *	8/2001	Gomez	D6/381
D503,548	S *	4/2005	Peters	D6/335
D504,034	S *	4/2005	Higgs et al.	D6/381
D542,478	S *	5/2007	Andriola	D30/118

OTHER PUBLICATIONS

www.postmodernpets.com/dogp_plein.htm; Phillip Plein Dog Bed; Jun. 2, 2004.*

In the Company of Dogs catalog; p. 16; Regency Pet Bed D10-292.*

* cited by examiner

Primary Examiner—Cathy Anne MacCormac

(74) *Attorney, Agent, or Firm*—Perkins Coie, LLP

(57) **CLAIM**

The ornamental design for a foldable pet bed, as shown.

DESCRIPTION

FIG. 1 is a front perspective view of a foldable pet bed showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a side view thereof;

FIG. 5 is an opposite side view thereof;



FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a top plan view showing the arm and rear bolsters flipped out in an alternate position and also the connector strap released in an alternate position; and,

FIG. 9 is a front elevational view of FIG. 8.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9