



US00D567642S

(12) **United States Design Patent**
Tamura et al.

(10) **Patent No.:** **US D567,642 S**

(45) **Date of Patent:** **** Apr. 29, 2008**

(54) **CORD END STOPPER**

(75) Inventors: **Miyako Tamura**, Kurobe (JP); **Miyuki Ohgaku**, Kurobe (JP); **Kenichi Yoshie**, Kurobe (JP)

(73) Assignee: **YKK Corporation**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/264,881**

(22) Filed: **Aug. 21, 2006**

(30) **Foreign Application Priority Data**

Mar. 1, 2006 (JP) 2006-005058

(51) **LOC (8) Cl.** **08-08**

(52) **U.S. Cl.** **D8/383**

(58) **Field of Classification Search** D8/383,
D8/333, 396, 394, 395; 24/115 R, 115 G,
24/136 R, 115 M; D11/215, 212
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D260,730 S *	9/1981	Fujita	D8/356
5,896,623 A *	4/1999	Martin	24/16 PB
6,044,527 A *	4/2000	Ishida et al.	24/129 R
6,058,578 A *	5/2000	Lan	24/429
6,889,407 B2 *	5/2005	Martin	24/136 R

* cited by examiner

Primary Examiner—Holly H. Baynham

Assistant Examiner—Sheryl Friedman

(74) *Attorney, Agent, or Firm*—Alston & Bird LLP

(57) **CLAIM**

The ornamental design for a cord end stopper, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a cord end stopper of the claimed design.

FIG. 2 is a right side view of the cord end stopper of FIG. 1.

FIG. 3 is an enlarged plan view of the cord end stopper of FIG. 1.

FIG. 4 is an enlarged base view of the cord end stopper of FIG. 1.

FIG. 5 is an enlarged front view of part indicated by numerals 5—5 of FIG. 1.

FIG. 6 is a perspective view of the cord end stopper of FIG. 1; and,

FIG. 7 is an enlarged perspective view of part indicated by numerals 7—7 of FIG. 6.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

