



US00D568183S

(12) **United States Design Patent**
Ishii

(10) **Patent No.:** **US D568,183 S**

(45) **Date of Patent:** **** May 6, 2008**

(54) **GPS RECEIVER**

D465,214 S 11/2002 Mirabelli et al.
2005/0212672 A1* 9/2005 Fry 340/539.13

(75) Inventor: **Daisuke Ishii**, Tokyo (JP)

(73) Assignee: **Sony Corporation**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/266,958**

(22) Filed: **Oct. 3, 2006**

(30) **Foreign Application Priority Data**

Jul. 27, 2006 (JP) 2006-019802

(51) **LOC (8) Cl.** **10-04**

(52) **U.S. Cl.** **D10/65; D10/70**

(58) **Field of Classification Search** D10/65,
D10/70, 80; D14/347; 342/351, 419, 457,
342/357.06-357.13, 702, 132, 146; 345/87,
345/104, 133, 156, 168, 173, 901-905; 348/180,
348/184, 315, 739; 364/444, 499; 701/206-209,
701/213-214; 340/539.1, 539.11, 539.19,
340/539.21, 539.32; 702/150, 151
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,528,518 A * 6/1996 Bradshaw et al. 702/150

* cited by examiner

Primary Examiner—Antoine D. Davis

(74) *Attorney, Agent, or Firm*—Rader, Fishman & Grauer, PLLC

(57) **CLAIM**

The ornamental design for a GPS receiver, as shown.

DESCRIPTION

FIG. 1 is a perspective view of a GPS receiver showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;


FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

1 Claim, 7 Drawing Sheets






FIG.1




FIG.2




FIG. 3




FIG.4




FIG. 5




FIG.6




FIG.7