



US00D568183S

(12) **United States Design Patent**  
**Ishii**

(10) **Patent No.:** **US D568,183 S**  
(45) **Date of Patent:** **\*\* May 6, 2008**

(54) **GPS RECEIVER**

D465,214 S 11/2002 Mirabelli et al.  
2005/0212672 A1\* 9/2005 Fry ..... 340/539.13

(75) Inventor: **Daisuke Ishii**, Tokyo (JP)

(73) Assignee: **Sony Corporation**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/266,958**

(22) Filed: **Oct. 3, 2006**

(30) **Foreign Application Priority Data**

Jul. 27, 2006 (JP) ..... 2006-019802

(51) **LOC (8) Cl.** ..... **10-04**

(52) **U.S. Cl.** ..... **D10/65; D10/70**

(58) **Field of Classification Search** ..... D10/65,  
D10/70, 80; D14/347; 342/351, 419, 457,  
342/357.06-357.13, 702, 132, 146; 345/87,  
345/104, 133, 156, 168, 173, 901-905; 348/180,  
348/184, 315, 739; 364/444, 499; 701/206-209,  
701/213-214; 340/539.1, 539.11, 539.19,  
340/539.21, 539.32; 702/150, 151  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,528,518 A \* 6/1996 Bradshaw et al. .... 702/150

\* cited by examiner

*Primary Examiner*—Antoine D. Davis

(74) *Attorney, Agent, or Firm*—Rader, Fishman & Grauer,  
PLLC

(57) **CLAIM**

The ornamental design for a GPS receiver, as shown.

**DESCRIPTION**

FIG. 1 is a perspective view of a GPS receiver showing my  
new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;


FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

**1 Claim, 7 Drawing Sheets**






FIG.1




FIG.2






FIG. 3




FIG.4




FIG. 5




FIG.6




FIG.7