

US00D568310S

(12) **United States Design Patent** (10) **Patent No.:** **US D568,310 S**  
**Franck et al.** (45) **Date of Patent:** **\*\* May 6, 2008**

(54) **VOICE OVER INTERNET PROTOCOL BASE**

(75) Inventors: **Christopher G. Franck**, Decatur, GA (US); **Jeffery R. Beasley**, Suwanee, GA (US); **Alina R. Butan**, Fort Lauderdale, FL (US)

(73) Assignee: **General Instrument Corporation**, Horsham, PA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/250,571**

(22) Filed: **Nov. 21, 2006**

(51) **LOC (8) Cl.** ..... **14-02**

(52) **U.S. Cl.** ..... **D14/356; D14/240**

(58) **Field of Classification Search** ..... D14/301, D14/313, 348-9, 351-8, 363, 368, 370, 432, D14/435-6, 496, 137, 155, 167-168, 240, D14/242, 299; 711/100, 115; 361/685, 725, 361/752; 369/272.1, 273, 75.11; 360/133, 360/97.01, 97.03; D13/149, 184; D3/201, D3/273; 379/220.01, 220.09, 220.14, 25, 379/93.09, 93.15, 156, 900, 338-9, 441; 381/124; 455/560-1

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D339,115 S *	9/1993	Eilertsen .....	D14/242
D433,381 S *	11/2000	Talesfore .....	D13/123
D479,832 S *	9/2003	Homewood et al. ....	D14/168
D484,129 S *	12/2003	Hyogo .....	D14/356
D487,250 S *	3/2004	Kikutani .....	D13/103
D514,118 S *	1/2006	Christianson .....	D14/496
D520,000 S *	5/2006	Weiher et al. ....	D14/356
7,120,014 B2 *	10/2006	Yang .....	361/685

D532,414 S *	11/2006	Storti et al. ....	D14/240
D541,273 S *	4/2007	Wang .....	D14/356
D542,784 S *	5/2007	Franck et al. ....	D14/240
D549,223 S *	8/2007	McKimm et al. ....	D14/240
2006/0152899 A1 *	7/2006	Wang .....	361/685

\* cited by examiner

*Primary Examiner*—Robin V. Webster

*Assistant Examiner*—Karen E Kearney

(74) *Attorney, Agent, or Firm*—Benjamin D. Driscoll

(57) **CLAIM**

The ornamental design for a voice over internet protocol base, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a voice over internet protocol base;

FIG. 2 is a front view of the voice over internet protocol base of FIG. 1;

FIG. 3 is a rear view of the voice over internet protocol base of FIG. 1;

FIG. 4 is a left side view of the voice over internet protocol base;


FIG. 5 is a right side view of the voice over internet protocol base;


FIG. 6 is a top view of the voice over internet protocol base of FIG. 1; and,

FIG. 7 is a bottom view of the voice over internet protocol base of FIG. 1.


The broken lines showing of the ports in FIG. 3 and the elements of the bottom in FIG. 7 are for the purpose of illustrating environmental structure and form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**







*FIG. 1*




*FIG. 2*




*FIG. 3*




*FIG. 4*



*FIG. 5*



*FIG. 6*



*FIG. 7*