



US00D568520S

(12) **United States Design Patent**  
**Castellucci et al.**

(10) **Patent No.:** **US D568,520 S**  
(45) **Date of Patent:** **\*\* May 6, 2008**

(54) **LIGHTING DEVICE**

5,034,863 A \* 7/1991 Huang ..... 362/652

(Continued)

(75) Inventors: **Peter C. Castellucci**, Syracuse, NY (US); **Ronald J. Kingston**, Syracuse, NY (US); **Donwoong Kang**, Camillus, NY (US); **Scott W. Osiecki**, Skaneateles, NY (US)

FOREIGN PATENT DOCUMENTS

WO 2007/090112 A2 8/2007

*Primary Examiner*—Cathron Brooks

*Assistant Examiner*—Barbara Fox

(73) Assignee: **Eveready Battery Company, Inc.**, St. Louis, MO (US)

(74) *Attorney, Agent, or Firm*—Gregory J. Adams

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/288,019**

We claim the ornamental design for a lighting device, as shown

(22) Filed: **May 25, 2007**

**DESCRIPTION**

(51) **LOC (8) Cl.** ..... **26-05**

FIG. 1 is a right top perspective view of the lighting device of the present invention.

(52) **U.S. Cl.** ..... **D26/65**

FIG. 2 is a right side view of the lighting device of the present invention.

(58) **Field of Classification Search** ..... D26/60–66,  
D26/93, 107, 118, 128; 362/269, 277, 278,  
362/282, 285, 287, 288, 410, 413, 418–430,  
362/499

FIG. 3 is a left side view of the lighting device of the present invention.

See application file for complete search history.

FIG. 4 is a front view of the lighting device of the present invention.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D211,387 S	6/1968	Muller	
D253,853 S	1/1980	Gerber	
D272,003 S *	12/1983	Jankowski	D26/63
D301,632 S *	6/1989	Lohrentz	D26/61
D302,865 S *	8/1989	von Klier	D26/63
D310,727 S *	9/1990	Lu	D26/63
D311,067 S	10/1990	Chabria	
D315,804 S *	3/1991	Von Klier	D26/65
D317,310 S	6/1991	Schwartz	


FIG. 5 is a rear view of the lighting device of the present invention.

FIG. 6 is a top view of the lighting device of the present invention; and,

FIG. 7 is a bottom view of the lighting device of the present invention.

The broken lines shown in the drawings are for the purpose of illustrating portions of the lighting device and form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**




# US D568,520 S

Page 2

## U.S. PATENT DOCUMENTS

D325,997 S *	5/1992	Dieperink et al. ....	D26/107	D450,868 S	11/2001	Maximilian-Yee
D328,357 S	7/1992	Schneider		D459,521 S	6/2002	Echito
D329,098 S *	9/1992	Lu .....	D26/62	D477,432 S	7/2003	Parsons
D343,469 S	1/1994	Yuen		D491,305 S	6/2004	Copeland
D343,470 S	1/1994	Yuen		D496,485 S	9/2004	Stekelenburg
D345,810 S *	4/1994	Yuen .....	D26/44	7,048,414 B2	5/2006	Weber
D348,742 S *	7/1994	Rorke et al. ....	D26/51	D523,164 S *	6/2006	Ng ..... D26/65
D356,174 S	3/1995	Lo		D523,982 S	6/2006	Doong
D370,070 S	5/1996	Kay		D527,129 S	8/2006	Hodgson
D411,324 S	6/1999	Roorda		D527,132 S	8/2006	Citterio
D411,635 S	6/1999	Philipot et al.		D532,920 S	11/2006	Echito
D428,179 S *	7/2000	Huang .....	D26/65	7,150,540 B2	12/2006	Kovacik et al.
D434,863 S	12/2000	Boessel		D539,216 S	3/2007	Hamaguchi
D437,429 S	2/2001	Boessel		D539,456 S	3/2007	Sassoon et al.
6,227,677 B1	5/2001	Willis		2004/0145890 A1	7/2004	Liao
D449,402 S	10/2001	Echito		2005/0231941 A1	10/2005	Huang

\* cited by examiner



**Fig. 1**




Fig. 2






Fig. 3







**Fig. 4**



**Fig. 5**



**Fig. 6**



**Fig. 7**