



US00D568531S

(12) **United States Design Patent**  
**Compton**

(10) **Patent No.:** **US D568,531 S**

(45) **Date of Patent:** **\*\* May 6, 2008**

- (54) **LIGHTING FIXTURE SUPPORT ARM**
- (75) Inventor: **Wayne W. Compton**, Chino Hills, CA (US)
- (73) Assignee: **Hubbell Incorporated**, Orange, CT (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/287,974**
- (22) Filed: **Oct. 5, 2007**

**Related U.S. Application Data**

- (62) Division of application No. 29/222,800, filed on Feb. 4, 2005, now Pat. No. Des. 556,945.
- (51) **LOC (8) Cl.** ..... **26-99**
- (52) **U.S. Cl.** ..... **D26/155**
- (58) **Field of Classification Search** ..... D26/155, D26/145, 71, 60, 68, 113, 118, 24, 61, 62, D26/63, 64, 67, 72, 93, 138, 140, 141, 142, D26/150, 151, 152, 153, 154; 362/147, 151, 362/153, 224, 257, 277, 280, 285, 287, 368, 362/370, 441, 432; 248/205.1; D6/332, D6/350, 399, 459; D25/63

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D46,569 S \* 10/1914 Kaufman ..... D26/60
- D52,969 S 2/1919 Rosenberg
- D60,026 S 12/1921 Howell
- D63,602 S 12/1923 Ainsworth
- D72,912 S 6/1927 Peinlich
- D73,934 S 11/1927 Lindsay
- D200,593 S 3/1965 Pettengill
- D205,003 S 6/1966 de Vos
- D327,544 S 6/1992 Orozco
- D357,547 S 4/1995 Layh
- 5,918,970 A 7/1999 Brohard
- 5,924,789 A 7/1999 Thornton
- D417,137 S 11/1999 Vogels
- D428,191 S \* 7/2000 Kluck ..... D26/155
- D441,130 S 4/2001 Compton et al.
- D442,313 S 5/2001 Wojtkowiak et al.
- D442,319 S \* 5/2001 Hsu ..... D26/87
- D454,975 S 3/2002 De'Armond et al.
- D465,302 S 11/2002 Compton et al.

- D479,624 S 9/2003 Svendsen et al.
- D481,490 S 10/2003 Fickas et al.
- D500,885 S \* 1/2005 Haugaard et al. .... D26/155
- D537,196 S 2/2007 Summerford et al.

\* cited by examiner

*Primary Examiner*—Freda S. Nunn

*Assistant Examiner*—Kevin K Rudzinski

(74) *Attorney, Agent, or Firm*—Jenae C. Avallone; Mark S. Bicks; Alfred N. Goodman

(57) **CLAIM**

The ornamental design for a lighting fixture support arm, as shown and described.

**DESCRIPTION**

FIG. 1 is a top plan view of a lighting fixture support arm in accordance with a first embodiment of the present invention;

FIG. 2 is a left side view of the lighting fixture support arm illustrated in FIG. 1;

FIG. 3 is a front view of the lighting fixture support arm illustrated in FIGS. 1 and 2;

FIG. 4 is a right side view of the lighting fixture support arm illustrated in FIGS. 1–3;

FIG. 5 is a bottom view of the lighting fixture support arm illustrated in FIGS. 1–4;

FIG. 6 is a top plan view of a lighting fixture support arm in accordance with a second embodiment of the present invention;

FIG. 7 is a left side view of the lighting fixture support arm illustrated in FIG. 6;


FIG. 8 is a front view of the lighting fixture support arm illustrated in FIGS. 6 and 7;

FIG. 9 is a right side view of the lighting fixture support arm illustrated in FIGS. 6–8; and,

FIG. 10 is a bottom view of the lighting fixture support arm illustrated in FIGS. 6–9.

The broken lines are shown for illustrative purposes only and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10