



US00D568774S

(12) **United States Design Patent**  
**Kobayakawa**

(10) **Patent No.:** **US D568,774 S**

(45) **Date of Patent:** **\*\* May 13, 2008**

(54) **PEDOMETER**

D545,226 S \* 6/2007 Azuma ..... D10/70

(75) Inventor: **Tatsutoshi Kobayakawa**, Tokyo (JP)

\* cited by examiner

(73) Assignee: **Tanita Corporation**, Tokyo (JP)

*Primary Examiner*—Antoine D. Davis

(\*\*) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Frishauf, Holtz, Goodman & Chick, P.C.

(21) Appl. No.: **29/289,378**

(57) **CLAIM**

(22) Filed: **Jul. 17, 2007**

The ornamental design for a pedometer, as shown.

(30) **Foreign Application Priority Data**

**DESCRIPTION**

Jan. 19, 2007 (JP) ..... 2007-000966

(51) **LOC (8) Cl.** ..... **10-04**

(52) **U.S. Cl.** ..... **D10/70**

(58) **Field of Classification Search** ..... D10/70;  
235/95 C, 105; 377/5, 24.2, 26; 702/144,  
702/160, 176

See application file for complete search history.

FIG. 1 is a front, right side, top perspective view of a pedometer showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top plan view thereof; and,


FIG. 7 is a bottom plan view thereof.


(56) **References Cited**

**U.S. PATENT DOCUMENTS**


7,072,791 B2 \* 7/2006 Harima et al. .... 702/160

**1 Claim, 6 Drawing Sheets**







**FIG. 1**




**FIG. 2**



**FIG. 3**




**FIG. 4**




**FIG. 5**





**FIG. 6**



**FIG. 7**