



US00D569040S

(12) **United States Design Patent**  
**Micinilio et al.**

(10) **Patent No.:** **US D569,040 S**

(45) **Date of Patent:** **\*\* May 13, 2008**

(54) **SAFETY RAZOR HANDLE**

D534,316 S \* 12/2006 Bozikis et al. .... D28/48  
D536,485 S \* 2/2007 Wonderley et al. .... D28/48

(75) Inventors: **Gregg A. Micinilio**, Trumbull, CT (US); **Wes Rhoad**, Hamden, CT (US)

\* cited by examiner

(73) Assignee: **Eveready Battery Company, Inc.**, St. Louis, MO (US)

*Primary Examiner*—Jennifer Rivard  
(74) *Attorney, Agent, or Firm*—Michaud-Duffy Group LLP

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/289,536**

We claim the ornamental design for the safety razor handle, as shown and described.

(22) Filed: **Jul. 24, 2007**

**DESCRIPTION**

(51) **LOC (8) Cl.** ..... **28-03**

(52) **U.S. Cl.** ..... **D28/48**

(58) **Field of Classification Search** ..... D28/44-54;  
30/30, 32, 34.05, 34.1, 34.2, 41-41.9, 44-45,  
30/43-43.92, 47-51, 57-58, 346.5-346.61,  
30/526-527, 532, 533, 537-540

See application file for complete search history.

FIG. 1 is a top perspective view of the safety razor handle.

FIG. 2 is a back view of the safety razor handle.

FIG. 3 is a right view of FIG. 2.

FIG. 4 is a left view of FIG. 2.

FIG. 5 is an upper end view of FIG. 2; and,

FIG. 6 is a lower end view of FIG. 2.


The straight broken lines which connect the ends of existing full lines define the claimed design. All other broken lines are for illustrative purposes only. None of the broken lines form a part of the claimed design.


(56) **References Cited**

**U.S. PATENT DOCUMENTS**


D482,161 S \* 11/2003 Yamagishi et al. .... D28/48  
D491,690 S \* 6/2004 Yamashita ..... D28/48  
D500,170 S \* 12/2004 Jung ..... D28/46  
D534,314 S \* 12/2006 Lee ..... D28/46

**1 Claim, 4 Drawing Sheets**







**Fig. 1**




**Fig. 2**




**Fig. 3**



**Fig. 4**



***Fig. 5***



***Fig. 6***