



US00D569248S

(12) **United States Design Patent** (10) **Patent No.:** **US D569,248 S**
Seum et al. (45) **Date of Patent:** **** May 20, 2008**

(54) **SPRAYER HEAD**

(75) Inventors: **Michael Thomas Seum**, Cincinnati, OH (US); **Timothy Richard Swiss**, Pasadena, CA (US); **Tony Christopher Siebel**, Cincinnati, OH (US); **Demetrius Michael Romanos**, Cincinnati, OH (US)

(73) Assignee: **The Procter & Gamble Company**, Cincinnati, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/265,816**

(22) Filed: **Sep. 8, 2006**

(51) **LOC (8) Cl.** **09-07**

(52) **U.S. Cl.** **D9/448**

(58) **Field of Classification Search** D9/686, D9/685, 682, 448, 447; 239/333, 288.5, 239/320; 222/383.2, 383.1, 340; D23/226
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,168,788	A *	9/1979	Quinn	222/383.1
D358,198	S *	5/1995	Wadsworth	D23/226
D366,692	S *	1/1996	Wadsworth	D9/448
D409,487	S *	5/1999	Wadsworth et al.	D9/448
D409,917	S *	5/1999	Wadsworth et al.	D9/448
D409,918	S *	5/1999	Wadsworth et al.	D9/448
D423,934	S *	5/2000	Brozell	D9/448
6,332,562	B1 *	12/2001	Sweeton	222/383.1
D495,399	S *	8/2004	Guala	D9/448
D530,201	S *	10/2006	Sweeton	D9/448
D535,560	S *	1/2007	Sweeton	D9/448

* cited by examiner

Primary Examiner—Gary D. Watson
Assistant Examiner—Susan B Hattan

(74) *Attorney, Agent, or Firm*—Larry L. Huston; Amy I. Ahn-Roll

(57) **CLAIM**

The ornamental design for a sprayer head, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of one embodiment of a sprayer head, according to the present invention;

FIG. 2 is a top view thereof;

FIG. 3 is a bottom view thereof;

FIG. 4 is a side elevational view thereof;

FIG. 5 is an opposite side elevational view thereof;

FIG. 6 is a front view thereof;

FIG. 7 is a rear view thereof;

FIG. 8 is a perspective view of a second embodiment of a sprayer head according to the present invention;

FIG. 9 is a top view thereof;

FIG. 10 is a bottom view thereof;

FIG. 11 is a side elevational view thereof;

FIG. 12 is an opposite side elevational view thereof;

FIG. 13 is a front view thereof;

FIG. 14 is a rear view thereof;

FIG. 15 is a perspective view of a third embodiment of a sprayer head according to the present invention;

FIG. 16 is a top view thereof;

FIG. 17 is a bottom view thereof;


FIG. 18 is a side elevational view thereof;

FIG. 19 is an opposite side elevational view thereof;

FIG. 20 is a front view thereof; and,

FIG. 21 is a rear view thereof.

1 Claim, 21 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21