

US00D569263S

(12) **United States Design Patent**
Bradley et al.

(10) **Patent No.:** **US D569,263 S**
(45) **Date of Patent:** **** May 20, 2008**

(54) **DISPENSER**

(75) Inventors: **Christopher Bradley**, Orinda, CA (US); **John Jamieson**, Walnut Creek, CA (US); **Jeffrey Tilley**, La Honda, CA (US); **John C. Crawford**, Mahopac, NY (US)

(73) Assignee: **Colgate-Palmolive Company**, New York, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/256,764**

(22) Filed: **Mar. 24, 2006**

(51) **LOC (8) Cl.** **09-01**

(52) **U.S. Cl.** **D9/691**

(58) **Field of Classification Search** D9/600-694,
D9/500-505, 719, 723-729, 517, 519, 520,
D9/549-558, 447-449; 215/382; 220/662,
220/669

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D3,836 S *	2/1870	Wicks	D9/500
D36,493 S *	8/1903	Alland	D9/505
D49,555 S	8/1916	Vivaudou		
1,716,525 A *	6/1929	Leong	239/327
D96,413 S	7/1935	Petaja		
D97,968 S *	12/1935	Bowen	D9/661
D100,122 S *	6/1936	Petaja	D9/645
D106,034 S	9/1937	Harrison		
D146,098 S	12/1946	D'Anselme		
D168,110 S	11/1952	Montenier		
D171,540 S	2/1954	Grun		
2,915,251 A *	12/1959	North, Jr.	239/302
D212,525 S	10/1968	Kneapler		
D214,307 S	6/1969	Vignelli		
3,470,929 A	10/1969	Thornton		
3,494,515 A	2/1970	Fattori		
D233,413 S *	10/1974	Pietsch	D9/646
D253,455 S	11/1979	Beene		

D259,397 S	6/1981	Kerns		
D270,039 S	8/1983	Lipscombe		
D273,366 S *	4/1984	Polenghi	D9/645
D280,707 S	9/1985	Imanishi		
D281,670 S	12/1985	Thieffry		
D288,782 S	3/1987	Monod		
D290,443 S	6/1987	Durand		
D315,097 S	3/1991	Sgariboldi		
D322,029 S	12/1991	Caputo		
D325,751 S	4/1992	Futino		
5,137,162 A	8/1992	Fritz		
D337,258 S	7/1993	Mansau		
D342,902 S	1/1994	Granai		
D354,441 S	1/1995	Fontanella		
D362,187 S	9/1995	Thompson		
D362,385 S	9/1995	Wacker		
D380,390 S	7/1997	Varlet		
D386,963 S	12/1997	Hsu		

(Continued)

Primary Examiner—Catherine Tuttle
(74) *Attorney, Agent, or Firm*—Michael J Wallace, Jr.

(57) **CLAIM**

The ornamental design for a dispenser, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the dispenser showing our new design.

FIG. 2 is a front elevation view thereof.

FIG. 3 is a rear elevation view thereof.

FIG. 4 is a left side elevation view thereof.

FIG. 5 is a right side elevation thereof.

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

The broken lines in FIG. 7 are included for the purpose of illustrating a portion of the dispenser that forms no part of the claimed design.

1 Claim, 7 Drawing Sheets



US D569,263 S

Page 2

U.S. PATENT DOCUMENTS

D390,783 S *	2/1998	Schneider et al.	D9/503	D453,296 S	2/2002	Granai	
D392,895 S	3/1998	Kuzma et al.		D464,571 S	10/2002	Hill et al.	
D404,295 S *	1/1999	Bertolini et al.	D9/691	D465,733 S	11/2002	Hill	
D406,482 S	3/1999	Kerr		D477,991 S	8/2003	Dretzka	
D416,154 S	11/1999	Diehl		D478,273 S *	8/2003	Derman	D9/691
D423,360 S *	4/2000	Hirato et al.	D9/504	D496,207 S	9/2004	Wang	
D429,649 S	8/2000	Kotyuk		D527,258 S *	8/2006	Crawford	D9/448
D449,230 S	10/2001	Harris et al.		D537,362 S *	2/2007	Ivankovic	D9/691

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7