



US00D569286S

(12) **United States Design Patent** (10) **Patent No.:** **US D569,286 S**
Noda et al. (45) **Date of Patent:** **** May 20, 2008**

(54) **BIOMETRICS INPUT UNIT** 5,987,155 A * 11/1999 Dunn et al. 382/116

(75) Inventors: **Hiroyuki Noda**, Musashino (JP);
Kunihito Kawamura, Komae (JP);
Kichiro Kikuchi, Hitachi (JP); **Hiroto Nakai**, Hitachi (JP); **Hisao Nakayama**, Hitachi (JP)

* cited by examiner

Primary Examiner—Antoine D. Davis

(73) Assignee: **Hitachi Information & Control Solutions, Ltd.**, Hitachi-Shi (JP)

(74) *Attorney, Agent, or Firm*—Antonelli, Terry, Stout & Kraus, LLP.

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/281,480**

We claim the ornamental design for biometrics input unit, as shown.

(22) Filed: **Jun. 25, 2007**

(30) **Foreign Application Priority Data**

DESCRIPTION

Mar. 5, 2007 (JP) 2007-005515

(51) **LOC (8) Cl.** **10-04**

FIG. 1 is a front, top and right side perspective view of biometrics input unit showing our new design;

(52) **U.S. Cl.** **D10/81**

FIG. 2 is a front elevational view thereof;

(58) **Field of Classification Search** D10/81;
382/115, 116, 124, 125; 356/71; 235/380,
235/381, 382, 372, 375; 340/825.34; 380/23;
902/2-5

FIG. 3 is a rear elevational view thereof; and

See application file for complete search history.

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

(56) **References Cited**


FIG. 6 is a right side elevational view thereof; and,

U.S. PATENT DOCUMENTS

FIG. 7 is a left side elevational view thereof.

4,736,203 A * 4/1988 Sidlauskas 340/5.53

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7