



US00D569478S

(12) **United States Design Patent**
Cichy et al.

(10) **Patent No.:** **US D569,478 S**
(45) **Date of Patent:** **** May 20, 2008**

(54) **SPRAYER**

(75) Inventors: **Steve Cichy**, Marysville, OH (US); **Jon Fehrman**, Marysville, OH (US); **Jennifer Anderson**, Columbus, OH (US)

(73) Assignee: **OMS Investments, Inc.**, Los Angeles, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/289,156**

(22) Filed: **Jul. 10, 2007**

(51) **LOC (8) Cl.** **23-01**

(52) **U.S. Cl.** **D23/223**

(58) **Field of Classification Search** D23/213, D23/223, 226, 225; 239/345, 525-526, 459
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | |
|--------------|---------|--------------------|
| 813,254 A | 2/1906 | Sweeney |
| 2,293,390 A | 8/1942 | Hengesback |
| 2,961,335 A | 11/1960 | Shepard |
| 2,991,939 A | 7/1961 | Packard |
| 3,323,685 A | 6/1967 | Schultz |
| 4,491,254 A | 1/1985 | Viets et al. |
| 4,527,740 A | 7/1985 | Gunzel, Jr. et al. |
| 4,878,619 A | 11/1989 | Norman |
| 4,901,923 A | 2/1990 | McRoskey et al. |
| 5,069,389 A | 12/1991 | Bitsakos |
| 5,332,158 A | 7/1994 | Styne et al. |
| 5,375,769 A | 12/1994 | Schultz |
| 5,413,280 A | 5/1995 | Taylor |
| 5,469,993 A | 11/1995 | Hauf et al. |
| 5,484,106 A | 1/1996 | Gilmond |
| 5,727,736 A | 3/1998 | Tryon |
| 5,881,955 A | 3/1999 | Styne |
| 5,918,621 A | 7/1999 | Gilmore |
| 6,170,706 B1 | 1/2001 | Havlovitz |
| 6,213,410 B1 | 4/2001 | Spitznagel |

| | | | |
|--------------|---------|-------------------|---------------|
| 6,415,956 B1 | 7/2002 | Havlovitz | |
| 6,419,166 B1 | 7/2002 | Brzezinski et al. | |
| 6,453,953 B1 | 9/2002 | Adriansens et al. | |
| 6,536,684 B1 | 3/2003 | Wei | |
| 6,546,949 B1 | 4/2003 | Gilmore | |
| 6,604,546 B1 | 8/2003 | Gilmore | |
| 6,609,733 B2 | 8/2003 | Gilmore | |
| 6,712,292 B1 | 3/2004 | Gosis et al. | |
| 6,726,123 B2 | 4/2004 | Wang | |
| D524,906 S | 7/2006 | Birrenkott et al. | |
| D529,575 S | 10/2006 | Birrenkott et al. | |
| 7,156,324 B2 | 1/2007 | Birrenkott et al. | |
| D561,301 S * | 2/2008 | Troyer et al. | D23/228 |

OTHER PUBLICATIONS

Air Wick Odor Stop product promotion, available at www.winwithairwick.co.nz/airwick_entry_form.pdf.

* cited by examiner

Primary Examiner—Robin V Webster
(74) *Attorney, Agent, or Firm*—Welsh & Katz, Ltd.

(57) **CLAIM**


The ornamental design for a sprayer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the sprayer design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof; and,
FIG. 8 is a perspective view thereof with the trigger engaged.

The broken line showing is included for the purpose of illustrating and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8