

US00D569497S

(12) **United States Design Patent**  
**Hoff et al.**

(10) **Patent No.:** **US D569,497 S**

(45) **Date of Patent:** **\*\* May 20, 2008**

(54) **HEAT DIFFUSER**

(75) Inventors: **Susan K. Hoff**, Belmont, MI (US);  
**Mark C. Smith**, Rockford, MI (US)

(73) Assignee: **Access Business Group International LLC**, Ada, MI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/278,831**

(22) Filed: **Apr. 11, 2007**

(51) **LOC (8) Cl.** ..... **23-03**

(52) **U.S. Cl.** ..... **D23/418**

(58) **Field of Classification Search** ..... D23/314,  
D23/32, 403-410, 415-422, 343, 345, 347-350,  
D23/373, 374, 393, 499; D7/332, 333, 335,  
D7/388, 402, 407, 408; 52/58, 218, 219;  
126/9 A, 9 B, 9 R, 39 H, 39 R, 58, 144,  
126/215, 218, 219, 245, 500, 509, 510, 519,  
126/540, 544, 546, 547, 555; 150/154, 165;  
428/15, 21, 102; 454/12

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,198 A \* 9/1845 Lewis ..... 126/118  
469,597 A \* 2/1892 Reid ..... 126/215  
D33,737 S \* 12/1900 Spears ..... D23/418  
D33,794 S \* 12/1900 White ..... D23/415  
1,535,431 A \* 4/1925 Mendelson ..... 239/425.5  
D69,852 S \* 4/1926 Stockstrom ..... D23/418

1,731,734 A \* 10/1929 Antonelli ..... 239/425.5  
D91,011 S \* 11/1933 Crisenberry ..... D23/415  
2,136,666 A \* 11/1938 Barker ..... 126/44  
2,200,985 A \* 5/1940 Faulds ..... 122/20 A  
D122,149 S \* 8/1940 Schoenberger ..... D23/418  
2,376,520 A \* 5/1945 Sterick ..... 239/425.5  
D172,856 S \* 8/1954 Wittmann ..... D23/415  
3,684,087 A \* 8/1972 Anderson ..... 206/542  
4,624,239 A \* 11/1986 Yellin ..... 126/25 R  
4,858,590 A \* 8/1989 Bailey ..... 126/39 H  
D342,865 S \* 1/1994 Addison et al. .... D7/407  
D394,312 S \* 5/1998 Thompson ..... D23/418  
D398,997 S \* 9/1998 Taylor ..... D23/499

\* cited by examiner

*Primary Examiner*—T. Chase Nelson

*Assistant Examiner*—Karen Acker

(74) *Attorney, Agent, or Firm*—Warner Norcross & Judd LLP

(57) **CLAIM**

The ornamental design for a heat diffuser, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of a heat diffuser in accordance with one embodiment of the present invention;

FIG. 2 is a side view thereof;

FIG. 3 front view thereof; and,

FIG. 4 is a rear view thereof.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2






FIG. 3




FIG. 4