

US00D569521S

(12) **United States Design Patent** (10) **Patent No.:** **US D569,521 S**  
**Omaki** (45) **Date of Patent:** **\*\* May 20, 2008**

(54) **BLOOD PRESSURE MONITOR**

FOREIGN PATENT DOCUMENTS

(75) Inventor: **Koji Omaki**, Suginami (JP)

JP 1175056 3/2003

\* cited by examiner

(73) Assignee: **Matsushita Electric Works, Ltd.**,  
Osaka (JP)

*Primary Examiner*—Robert A. Delehanty

*Assistant Examiner*—Mark Cavanna

(\*\*) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Osha Liang LLP

(21) Appl. No.: **29/267,814**

(57) **CLAIM**

(22) Filed: **Oct. 23, 2006**

The ornamental design for a blood pressure monitor, as shown and described.

(30) **Foreign Application Priority Data**

May 11, 2006 (JP) ..... 2006-011936

**DESCRIPTION**

(51) **LOC (8) Cl.** ..... **24-02**

FIG. 1, is a front perspective view of a blood pressure monitor showing my new design;

(52) **U.S. Cl.** ..... **D24/186**

FIG. 2, is a front view thereof;

(58) **Field of Classification Search** ..... D24/165,  
D24/186; 600/479–480, 485, 490, 492–495,  
600/499–500; 128/900

FIG. 3, is a back view thereof;

FIG. 4, a right side view thereof;

See application file for complete search history.

FIG. 5, is a left side view thereof;

FIG. 6, is a top view thereof;

FIG. 7, is a bottom view thereof;

(56) **References Cited**

U.S. PATENT DOCUMENTS

|              |         |                  |       |         |
|--------------|---------|------------------|-------|---------|
| D283,916 S * | 5/1986  | Akiyama          | ..... | D24/165 |
| D289,082 S * | 3/1987  | Tsuji            | ..... | D24/165 |
| D297,051 S * | 8/1988  | Kawamura         | ..... | D24/165 |
| D330,594 S * | 10/1992 | Koshino          | ..... | D24/165 |
| D338,271 S * | 8/1993  | Yoshikawa et al. | ..... | D24/186 |
| D344,338 S * | 2/1994  | Yoshikawa et al. | ..... | D24/165 |
| D403,770 S * | 1/1999  | Ozaki et al.     | ..... | D24/165 |
| D473,308 S * | 4/2003  | Nakanishi        | ..... | D24/165 |
| D496,104 S * | 9/2004  | Eda et al.       | ..... | D24/165 |
| D525,710 S * | 7/2006  | Kobayashi et al. | ..... | D24/165 |
| D533,279 S * | 12/2006 | Kobayashi et al. | ..... | D24/165 |
| D533,666 S * | 12/2006 | Kobayashi et al. | ..... | D24/165 |
| D535,028 S * | 1/2007  | Kobayashi et al. | ..... | D24/165 |


FIG. 8 is a end view in section taken along the line 8—8 as shown in FIG. 2, wherein the internal components are omitted;


FIG. 9, shows a front view with an alternate surface of a blood pressure monitor; and,

FIG. 10, shows FIG. 7 with a strap shown in broken lines forming no part of the claimed design.

The elements shown in even broken lines are for illustrative purposes only and form no part of the claimed design. The dash-dot broken lines define boundaries of the design and do not form part of the claimed design.

**1 Claim, 3 Drawing Sheets**





**FIG. 1**




FIG. 6




FIG. 5




FIG. 2




FIG. 4







FIG. 7




**FIG. 3**



**FIG. 8**



**FIG. 10**



**FIG. 9**