



US00D569529S

(12) **United States Design Patent** (10) **Patent No.:** **US D569,529 S**
Uemoto et al. (45) **Date of Patent:** **** May 20, 2008**

(54) **LIGHTING APPARATUS**

(75) Inventors: **Takaari Uemoto**, Kadoma (JP); **Keiji Nishimoto**, Kadoma (JP); **Yasuharu Ueno**, Kadoma (JP); **Satoshi Shida**, Kadoma (JP); **Yuji Omata**, Kadoma (JP)

(73) Assignee: **Matsushita Electric Industrial Co., Ltd.**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/270,317**

(22) Filed: **Dec. 19, 2006**

(30) **Foreign Application Priority Data**

Jun. 20, 2006 (JP) 2006-015924
Jun. 20, 2006 (JP) 2006-015932

(51) **LOC (8) Cl.** **26-04**

(52) **U.S. Cl.** **D26/24; D26/1**

(58) **Field of Classification Search** D26/24,
D26/1, 2, 37, 72, 74, 80, 81, 83, 93, 105,
D26/113, 25; D13/180, 182; 362/612, 631,
362/555, 89, 147, 153, 257, 800; 257/79,
257/80, 82, 88, 433; 313/500

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,706,378 A * 1/1998 Suzuki et al. 385/49
6,172,425 B1 * 1/2001 Steijer et al. 257/787
6,298,192 B1 * 10/2001 Yoo et al. 385/137
6,555,403 B1 * 4/2003 Domen et al. 438/22
D528,226 S * 9/2006 Nagai et al. D26/1
D528,672 S * 9/2006 Nagai et al. D26/1
D529,202 S * 9/2006 Nagai et al. D26/1

D541,761 S * 5/2007 Saito et al. D13/180
7,224,000 B2 * 5/2007 Aanegola et al. 257/98
2003/0089694 A1 * 5/2003 Crafts et al. 219/209
2004/0016930 A1 * 1/2004 Yoshida et al. 257/79
2004/0041221 A1 * 3/2004 Boon et al. 257/433
2006/0166386 A1 * 7/2006 Yamada et al. 438/22

FOREIGN PATENT DOCUMENTS

JP 2003-124528 4/2003

OTHER PUBLICATIONS

Uemoto et al., U.S. Design Application entitled "Lighting Apparatus," U.S. Appl. No. 29/270,311, filed Dec. 19, 2006.

* cited by examiner

Primary Examiner—Cathron Brooks

Assistant Examiner—Angela J Lee

(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione

(57) **CLAIM**

We claim the ornamental design for a lighting apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a lighting apparatus of the present invention;

FIG. 2 is a front view thereof, the rear view being a mirror image thereof;


FIG. 3 is a left side view thereof, the right side view being a mirror image thereof;

FIG. 4 is a top view thereof; and,

FIG. 5 is a bottom view thereof.

An elongated elevation on a substrate is transparent and thus light comes through. The two squares are electrodes.

1 Claim, 2 Drawing Sheets






FIG. 1



FIG. 2



FIG. 3




FIG.4




FIG.5