

US00D569543S

(12) **United States Design Patent**
Toda

(10) **Patent No.:** **US D569,543 S**
(45) **Date of Patent:** **** May 20, 2008**

(54) **LENS FOR LIGHT**

(75) Inventor: **Masahiro Toda**, Tokyo (JP)

(73) Assignee: **Toshiba Lighting & Technology Corporation**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/263,002**

(22) Filed: **Jul. 13, 2006**

(30) **Foreign Application Priority Data**

Jan. 20, 2006 (JP) 2006-001187

(51) **LOC (8) Cl.** **26-99**

(52) **U.S. Cl.** **D26/122**

(58) **Field of Classification Search** D26/123,
D26/128, 142, 118, 65, 125, 147, 74, 138,
D26/113, 24, 61, 63, 133, 120, 67, 85, 32,
D26/60, 73, 93, 94, 98, 103, 122, 124, 129,
D26/137, 151, 152, 153, 156; D21/484,
D21/490; D13/110; 206/223; 362/351,
362/330, 363

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D27,341 S * 7/1897 Pennycuick D25/106
2,675,466 A * 4/1954 Baker 362/308
D217,924 S * 6/1970 Clostermann et al. D26/122
D218,193 S * 7/1970 Moore D26/63
D218,358 S * 8/1970 Heenan et al. D26/122
D222,102 S * 9/1971 Schwartz et al. D26/122
D224,895 S * 10/1972 Clostermann D26/122
3,883,733 A * 5/1975 Nagel 362/334
D272,656 S * 2/1984 Parker D26/65

D340,312 S * 10/1993 Claytor D26/122
D474,303 S * 5/2003 Huang D26/123
D524,978 S * 7/2006 Bellaloum D26/102
2004/0012957 A1 * 1/2004 Bachl et al. 362/241

* cited by examiner

Primary Examiner—Freda S. Nunn

Assistant Examiner—Kevin K Rudzinski

(74) *Attorney, Agent, or Firm*—J.C. Patents

(57) **CLAIM**

The ornamental design for a lens for light, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a lens for light showing the new design.

FIG. 2 is a rear view thereof.


FIG. 3 is a right side view thereof, the left side view being a mirror image of the right side view.

FIG. 4 is a top view thereof, the bottom view being a mirror image of the top view; and,

FIG. 5 is an end elevational view in section taken along line 5—5 in FIG. 1.

The claimed lens for light comprises two transparent lens plates that are overlaid on each other. The claimed lens for light is suited to be disposed in front of illuminating elements arranged on a substrate in a grid array for controlling the distribution of luminous intensity. There is a plurality of fly-eye lenses arranged on the inner surfaces of the front and rear lens plates in a grid array, and there is a plurality of Fresnel lenses arranged on the outer surface of the rear lens plate in a linear array.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3




FIG. 4



FIG. 5